



Office Product Guide

Xerox® Printers and Multifunction
Printers for Your Business



Color Printers

LETTER

TABLOID



	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® VersaLink® C400	Xerox® VersaLink® C500	Xerox® VersaLink® C600	Xerox® VersaLink® C7000	Xerox® Phaser® 7500
Performance							
Print Speed (up to)	18 ppm color 18 ppm black	30 ppm color 30 ppm black	36 ppm color 36 ppm black	45 ppm color 45 ppm black	55 ppm color 55 ppm black	35 ppm color 35 ppm black	35 ppm color 35 ppm black
First-page-out Time	As fast as 13 seconds color	As fast as 12 seconds color	As fast as 13 seconds color	As fast as 10 seconds color	As fast as 8 seconds color	As fast as 7.6 seconds color	As fast as 7 seconds color
Memory (std / max)	256 MB / 256 MB	1 GB / 1 GB	2 GB / 2 GB	2 GB / 2 GB	2 GB / 2 GB	2 GB / 2 GB	512 MB / 2 GB
Processor	525 MHz	733 MHz	1.05 GHz	1.05 GHz	1.05 GHz	1.05 GHz Dual-core	1 GHz
Duty Cycle (max)	30,000 pages/month	50,000 pages/month	80,000 pages/month	120,000 pages/month	120,000 pages/month	Up to 153,000 pages/month	150,000 pages/month
Recommended Monthly Print Volume	Up to 1,500 pages	Up to 3,000 pages	Up to 5,000 pages	Up to 8,000 pages	Up to 15,000 pages	Up to 10,000 pages	Up to 15,000 pages
Print Quality							
Print Resolution (max)	1200 x 2400 dpi enhanced image quality	1200 x 2400 dpi	600 x 600 x 8 dpi (enhanced)	1200 x 2400 dpi	1200 x 2400 dpi	1200 x 2400 dpi	1200 x 1200 dpi
Paper Handling							
Two-sided Output	Manual	Automatic ¹	Automatic ¹	Automatic ¹	Automatic ¹	Automatic ¹	Automatic ¹
Paper Input (std / max)	150 / 150 sheets	300 / 850 sheets	700 / 1,250 sheets	700 / 3,250 sheets	700 / 3,250 sheets	620 / 2,180 sheets	600 / 2,100 sheets
Paper Output (std / max)	100 sheets	150 sheets	250 sheets	500 sheets	500 sheets	500 sheets	400 sheets
Media Sizes	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3.5 x 3.9 to 11.7 x 17 in.	3.5 x 3.9 to 12.6 x 47.2 in.
Media Weights	60-163 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-256 gsm	67-280 gsm
Networking							
Connectivity	10/100Base-TX Ethernet, Wi-Fi b/g/n, Wi-Fi Direct, High speed USB 2.0	10/100/1000Base-T Ethernet, Wi-Fi 802.11n ¹ , Wi-Fi Direct ¹ , USB 3.0	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair	10/100/1000 Base-TX Ethernet, USB 2.0
Page Description Languages	PostScript 3 compatible, PCL® 5c, 6, PDF Direct	Adobe® PostScript® 3™, PCL® 5e, 6, PDF, TIFF	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/Adobe PostScript 3	Adobe PostScript 3, PCL 5c emulation
Productivity							
Options ¹		550-sheet tray, Wireless Network Adapter	550-sheet tray, Stand, Wireless Network Adapter, Productivity Kit with 320 GB HDD, RFID Kit	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit, Finisher, Mailbox	320 GB HDD (optional on Desktop model), Single Tray Module, Single Tray Module with Stand, Three Tray Module, Envelope Tray, Integrated Office Finisher, Wi-Fi Direct with Optional Wireless Adapter, RFID Kit	Productivity Kit with hard drive*, 500-sheet tray, 1,500-sheet feeder, Wireless Network Adapter
Color Standards	PANTONE® Color calibrated, Color Correction	PANTONE Color calibrated, Xerox® Color Corrections**	PANTONE Color calibrated, Xerox® Color Corrections**	PANTONE Color calibrated, Xerox® Color Corrections**	PANTONE Color calibrated, Xerox® Color Corrections**	Automatic Color, ICC profile, Color Adjustments, (Lightness, Contrast/Saturation/Color Sliders)	PANTONE Color calibrated, Xerox® Color Corrections**, Color by Words, ICC profile, ColorSync
Print Technology	Hi-Q LED	Single-pass color LED	Single-pass color laser	Single-pass color laser	Single-pass color laser	Single-pass color LED	Single-pass color LED
Warranty	One-year quick-exchange, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee

¹ Standard on certain configurations or available as an option.

* Hard drive enables additional functionality including Personal/Proof/Secure/Saved print and collation printing.

** Xerox® Color Corrections: Automatic, SWOP, Euroscale, Commercial Press, SNAP Press, Japan Color, ISO Coated, sRGB Display, sRGB Vivid, LCD Display.

Color Printers (cont'd)

Black-and-white Printers

TABLOID



LETTER



ConnectKey® Technology



	Xerox® Phaser® 7800	Xerox® Phaser® 3260	Xerox® Phaser® 3330	Xerox® Phaser® 3610	Xerox® VersaLink® B400	Xerox® Phaser® 4622	Xerox® Phaser® 5550
Performance							
Print Speed (up to)	45 ppm color / black	29 ppm	42 ppm	47 ppm	47 ppm	65 ppm	50 ppm
First-page-out Time	As fast as 9 sec. color	As fast as 8.5 sec.	As fast as 6.5 sec. ²	As fast as 6.5 sec.	As fast as 8 sec.	As fast as 7.8 sec.	As fast as 6.5 sec.
Memory (std / max)	2 GB / 2 GB	256 MB	512 MB	512 MB / 1 GB	2 GB / 2 GB	256 MB / 768 MB	256 MB / 1 GB
Processor	1.33 GHz	600 MHz	1 GHz	400 MHz	1.05 GHz	600 MHz	500 MHz
Duty Cycle (max)	225,000 pgs/mo	30,000 pgs/mo	80,000 pgs/mo	110,000 pgs/mo	110,000 pgs/mo	275,000 pgs/mo	300,000 pgs/mo
Recommended Monthly Print Volume	Up to 30,000 pages	Up to 4,000 pages	Up to 6,000 pages	Up to 12,000 pages	Up to 12,000 pages	Up to 25,000 pages	Up to 50,000 pages
Print Quality							
Print Resolution (max)	1200 x 2400 dpi	600 x 600 dpi (Up to 4800 x 600 enhanced image quality)	Up to 1200 x 1200 dpi image quality	1200 x 1200 dpi	1200 x 1200 dpi (enhanced)	600 x 600 dpi (Up to 1200 x 1200 enhanced image quality)	1200 x 1200 dpi
Paper Handling							
Two-sided Output	Automatic	Automatic	Automatic	Automatic ¹	Automatic ¹	Automatic ¹	Automatic ¹
Paper Input (std / max)	620 / 3,140 sheets	251 / 251 sheets	300 / 850 sheets	700 / 2,350 sheets	700 / 2,350 sheets	650 / 3,750 sheets	1,100 / 4,100 sheets
Paper Output (std / max)	500 / 2,250 sheets	150 sheets	150 sheets	250 sheets	250 sheets	500 / 1,000 sheets	500 / 4,000 sheets
Media Sizes	3.5 x 3.9 to 12.6 x 48 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3.5 x 3.87 to 11.7 x 17 in.
Media Weights	75-350 gsm	60-220 gsm	60-220 gsm	60-216 gsm	60-220 gsm	60-220 gsm	60-215 gsm
Networking							
Connectivity	Ethernet 10/100/1000Base-T, USB 2.0, optional external wireless 802.11 b, g, n	Wi-Fi b/g/n, High Speed USB 2.0	10/100/1000 Base-T Ethernet, USB 2.0 (front and rear ports), Wi-Fi	10/100/1000 Base-T Ethernet, USB 2.0, optional Wi-Fi	Ethernet 10/100/1000 Base-T, High- speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000 Base-T Ethernet, USB 2.0, optional Wi-Fi	10/100/ 1000Base-TX Ethernet ¹ , USB 2.0, Parallel
Page Description Languages	Adobe PostScript 3, PCL 6/5c, Adobe PDF- Direct version 1.6	PCL 5e and 6 emulations, PostScript® 3™ emulation	Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG	PostScript 3 emulation, PCL 6/5e emulations, PDF emulation	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PostScript 3 emulation, PCL 5e/6, PDF, Epson	Adobe PostScript 3, PCL 6/5e emulation, Direct PDF (with optional hard drive)
Productivity Options ¹	3 Tray Module, High Capacity Tandem Tray, Office Finisher LX with optional hole punch and optional booklet maker, Professional Finisher, Extra Heavy Duty Media Kit, Xerox® PhaserMatch® 5.0, Wireless Network Adapter		550-sheet tray	550-sheet tray, Stand, Productivity Kit (512 MB RAM Memory), Productivity Kit (4 GB Device Memory), Wireless Networking Adapter	550-sheet tray, Stand, Productivity Kit with 16 GB SSD, Wireless Network Adapter, RFID Kit	550-sheet tray, 2,000-sheet High Capacity Feeder with Stand, Finisher/Stapler, 4-bin Mailbox, Stand, 512 MB Memory, Wireless Network Adapter	Productivity Kit with hard drive*, 1,000-sheet feeder, 2,000-sheet feeder, Stacker, Finisher, Wireless Network Adapter
Color Standards	PANTONE calibrated solid-color simulations, Adobe PostScript device-independent color, CIE International Color Standards, and support for ICC, ICM and ColorSync Color Management Systems, Xerox® PhaserMatch® 5.0, Xerox® PhaserCal®						
Print Technology	Hi-Q LED	Laser	Laser	Laser	Laser	Laser	Laser
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year quick- exchange, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year depot warranty, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee

¹ Standard on certain configurations or available as an option.

² Printing from USB.

* Hard drive enables additional functionality including Personal/Proof/Secure/Saved print and collation printing.

** Xerox® Color Corrections: Automatic, SWOP, Euroscale, Commercial Press, SNAP Press, Japan Color, ISO Coated, ISO Uncoated, sRGB Display, sRGB Vivid, LCD Display.

Color Multifunction Printers

LETTER



	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® VersaLink® C405	Xerox® WorkCentre® 6655i	Xerox® VersaLink® C505
Performance					
Engine Speed (up to)	18 ppm color 18 ppm black	30 ppm color 30 ppm black	36 ppm color 36 ppm black	36 ppm	45 ppm color 45 ppm black
Total Device Memory	512 MB	2 GB / 2 GB	2 GB / 2 GB	4 GB / 4 GB	4 GB
Duty Cycle (max)	30,000 pages/month	50,000 pages/month	80,000 pages/month	100,000 pages/month	120,000 pages/month
Recommended Monthly Print Volume	Up to 1,500 pages	Up to 3,000 pages	Up to 5,000 pages	Up to 10,000 pages	Up to 8,000 pages
Print					
Resolution	1200 x 2400 dpi enhanced image quality	1200 x 2400 dpi	600 x 600 x 8 dpi (enhanced)	2400 x 600 dpi	1200 x 2400 dpi
Page Description Languages	PostScript 3 compatible, PCL® 5c, 6, PDF Direct	Adobe® PostScript® 3™, PCL 5e, 6, PDF, TIFF	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3
Connectivity	10/100Base-TX Ethernet, Wi-Fi b/g/n, Wi-Fi Direct, High speed USB 2.0	10/100/1000Base-T Ethernet, Wi-Fi 802.11n¹, Wi-Fi Direct¹, USB 3.0	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000Base-T Ethernet, High Speed USB 2.0, Wi-Fi Direct with Optional USB Wireless Adapter	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair
Copy					
Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 400 dpi
First-copy-out Time (as fast as)	30 seconds color 20 seconds black	12 seconds color 12 seconds black	10 seconds color 8 seconds black	16 seconds color 15 seconds black	7 seconds color 5 seconds black
Fax					
Speed	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps
Resolution (max)	406 x 392 dpi	400 x 400 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Scan					
Resolution (max)	600 x 600 dpi (via User Interface); 1200 x 1200 dpi (via TWAIN)	600 x 600 dpi (optical)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Scan Destinations	Scan to Network Computer (SMB/ FTP), Email, WSD, Application (TWAIN USB/ Network), WIA (USB/WSD Scan), Mac 10.6 or later (USB/ Network/MacICA), USB	Email, Network, USB Memory Device, WSD, Application, WIA, Mac 10.9 or later, Local PC, Network Computer, Multiple Destinations in a Single Scan Job	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to Mailbox; Scan to USB, Scan to Email, Scan to Network; Twain/WIA File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Single Touch Scan, Searchable PDF, Single/Multi-Page PDF/XPS/ TIFF, Encrypted/Password Protected PDF, Linearized PDF/PDF/A	Scan to USB, Email, Network (FTP or Browse SMB)
Paper Handling					
Document Feeder Type	15-sheet ADF	50-sheet Single-pass DADF	50-sheet Single-pass DADF	60-sheet DADF	100-sheet Single-pass DADF
Two-sided Output	Manual	Automatic¹	Automatic¹	Automatic	Automatic
Paper Input (std / max)	150 / 150 sheets	300 / 850 sheets	700 / 1,250 sheets	700 / 1,250 sheets	700 / 3,250 sheets
Media Sizes	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.
Media Weights	60-163 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-220 gsm
Productivity Options¹		550-sheet tray, Wireless Network Adapter	550-sheet tray, Stand, Wireless Network Adapter, Productivity Kit with 320 GB HDD, RFID Kit	550-sheet Feeder, Stand, Smart Card Enablement Kit, Wi-Fi Direct with Optional USB Wireless Adapter, McAfee® Integrity Control Enablement Kit	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee

¹ Standard on certain configurations or available as an option.

Color Multifunction Printers (cont'd)

LETTER (CONT'D)



ConnectKey®
Technology

TABLOID



ConnectKey®
Technology



ConnectKey®
Technology

	Xerox® VersaLink® C605	Xerox® VersaLink® C7020/C7025/C7030	Xerox® AltaLink® C8030/C8035/C8045/C8055/C8070
Performance			
Engine Speed (up to)	55 ppm color 55 ppm black	20 / 25 / 30 ppm color 20 / 25 / 30 ppm black	30 / 35 / 45 / 50 / 70 ppm color 30 / 35 / 45 / 55 / 70 ppm black
Total Device Memory	4 GB	4 GB	2 MB Cache / 8 GB system memory
Duty Cycle (max)	120,000 pages/month	87,000 / 107,000 / 129,000 pages/month	90,000 / 110,000 / 200,000 / 300,000 / 300,000 pages/month
Recommended Monthly Print Volume	Up to 15,000 pages	Up to 5,500 to 7,000 pages	Up to 5,000 to 40,000 pages
Print			
Resolution	1200 x 2400 dpi	1200 x 2400 dpi	1200 x 2400 dpi
Page Description Languages	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe PostScript 3	Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS (optional)
Connectivity	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections)	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair	10/100/1000Base-T Ethernet, USB 2.0 Direct Print, Wi-Fi Direct with Optional USB Wireless Adapter, NFC Tap-to-Pair
Copy			
Resolution (max)	600 x 400 dpi	600 x 600 dpi	600 x 600 dpi
First-copy-out Time (as fast as)	7 seconds color 5 seconds black	9.0 / 9.0 / 7.2 seconds color 6.9 / 6.9 / 5.8 seconds black	8.1 / 8.1 / 7.8 / 7.2 / 5.2 seconds color 6.7 / 6.7 / 6.4 / 5.7 / 4.9 seconds black
Fax			
Speed	33.6 Kbps	33.6 Kbps ¹	33.6 Kbps
Resolution (max)	600 x 600 dpi	600 x 600 dpi ¹	400 x 200 dpi
Scan			
Resolution (max)	600 x 600 dpi	600 x 600 dpi ¹	600 x 600 dpi
Scan Destinations	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Optical Character Recognition (OCR)	Scan to USB / Email / Network (FTP/SMB); File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Password Protected PDF, Unified Address Book, Optical Character Recognition (OCR)
Paper Handling			
Document Feeder Type	100-sheet Single-pass DADF	110-sheet DADF	130-sheet single-pass DADF
Two-sided Output	Automatic	Automatic	Automatic
Paper Input (std / max)	700 / 3,250 sheets	620 / 5,140 sheets	2,180 / 5,140 sheets
Media Sizes	3 x 5 to 8.5 x 14 in.	3.5 x 3.9 to 11.7 x 17 in.	3.5 x 3.9 to 12.6 x 19 in.
Media Weights	60-220 gsm	60-256 gsm	60-300 gsm
Productivity Options¹	Up to four 550-sheet trays, High Capacity Feeder, Cabinet, Casters, Wireless Network Adapter, Productivity Kit with 250 GB HDD, RFID Kit, Finisher, Mailbox	320 GB HDD (optional on Desktop model), Single Tray Module, Single Tray Module with Stand, Three Tray Module, High Capacity Tandem Tray Module, 2,000-sheet High Capacity Feeder, Envelope Tray, Integrated Office Finisher, Office Finisher LX, Convenience Stapler and Work Surface, Walk up Fax (One- or Two-line options, optional Fax over IP Kit, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, RFID Kit	High Capacity Feeder (HCF), Envelope Tray, Integrated Office Finisher, Office Finisher LX, Booklet Maker for Office Finisher LX, Hole Punch for Office Finisher LX, Convenience Stapler, Smart Card, Enablement Kit, Xerox® EX-c C8000 Print Server Powered by Fiery®, Walk up Fax (One- or Two-line options, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, XPS Print Option Kit, McAfee® Integrity Control Enablement Kit
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	90-day on-site, Xerox Total Satisfaction Guarantee	90-day on-site, Xerox Total Satisfaction Guarantee

¹ Standard on certain configurations or available as an option.

Black-and-white Multifunction Printers

LETTER



	Xerox® WorkCentre® 3215/3225	Xerox® WorkCentre® 3335	Xerox® WorkCentre® 3345	Xerox® VersaLink® B405	Xerox® WorkCentre® 3655i
Performance					
Engine Speed (up to)	27 / 29 ppm	35 ppm	42 ppm	47 ppm	47 ppm
Total Device Memory	256 MB	1 GB	1 GB	2 GB	2 GB
Duty Cycle (max)	30,000 page/month	50,000 pages/month	80,000 pages/month	110,000 pages/month	150,000 pages/month
Recommended Monthly Print Volume	Up to 3,000 / 4,000 pages	Up to 4,000 pages	Up to 6,000 pages	Up to 12,000 pages	Up to 15,000 pages
Print					
Resolution	600 x 600 dpi (Up to 4800 x 600 enhanced image quality)	Up to 1200 x 1200 dpi image quality	Up to 1200 x 1200 dpi image quality	1200 x 1200 dpi (enhanced)	1200 x 1200 dpi
Page Description Languages	PCL 5e and 6 emulations, PostScript 3 emulation	Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG	Adobe® PostScript® 3™ compatible, PCL® 5e, 6, PDF Direct, TIFF, JPEG	PCL 5e, PCL 6, PDF, XPS, TIFF, JPEG, HP-GL, Adobe PostScript 3	Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS
Connectivity	10/100Base-T Ethernet, Wi-Fi b/g/n, High Speed USB 2.0	10/100/1000Base-T Ethernet, USB 2.0 (front and rear ports), Wi-Fi	10/100/1000Base-T Ethernet, USB 2.0 (front and rear ports), Wi-Fi	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair	10/100/1000Base-T Ethernet, High Speed USB 2.0 Direct Print, Wi-Fi Direct with Optional USB Wireless Adapter
Copy					
Resolution (max)	Up to 1200 x 1200 enhanced image quality	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
First-copy-out Time (as fast as)	10 seconds	13 seconds	13 seconds	6 seconds	12 seconds
Fax					
Speed	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps	33.6 Kbps
Resolution (max)	300 x 300 dpi	300 x 300 dpi	300 x 300 dpi	600 x 600 dpi	600 x 600 dpi
Scan					
Resolution (max)	4800 dpi enhanced	4800 dpi enhanced	4800 dpi enhanced	600 x 600 dpi	600 x 600 dpi
Scan Destinations	PC, WSD, Email	Network Computer, Email, WSD, Application, WIA, Mac® 10.9 or later (USB/Network/ Mac ICA), USB	Network Computer, Email, WSD, Application, WIA, Mac® 10.9 or later (USB/Network/ Mac ICA), USB	Scan to USB, Email, Network (FTP or Browse SMB)	Scan to Mailbox; Scan to USB, Scan to Email, Scan to Network; Twain/WIA File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Single Touch Scan, Searchable PDF, Single/Multi-Page PDF/ XPS/TIFF, Encrypted/Password Protected PDF, Linearized PDF/ PDF/A
Paper Handling					
Document Feeder Type	40-sheet ADF	50-sheet ADF	50-sheet RADF	60-sheet RADF	60-sheet DADF
Two-sided Output	Automatic¹	Automatic	Automatic	Automatic	Standard
Paper Input (std / max)	251 / 251 sheets	300 / 850 sheets	300 / 850 sheets	700 / 2,350 sheets	700 / 2,350 sheets
Media Sizes	3 x 5 to 8.5 x 14 in.	3 x 5 in. to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.	3 x 5 to 8.5 x 14 in.
Media Weights	60-220 gsm	60-220 gsm	60-220 gsm	60-220 gsm	60-216 gsm
Productivity Options¹		550-sheet tray	550-sheet tray	550-sheet tray, Stand, Productivity Kit with 16 GB SSD, Wireless Network Adapter, RFID Kit	550-sheet Feeder, Stand, Smart Card Enablement Kit, Wi-Fi Direct with Optional USB Wireless Adapter, McAfee® Integrity Control Enablement Kit
Warranty	One-year depot, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year depot, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year depot, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee

¹ Standard on certain configurations or available as an option.

Black-and-white Multifunction Printers (cont'd)

LETTER (CONT'D)



TABLOID



ConnectKey®
Technology



ConnectKey®
Technology

	Xerox® WorkCentre® 4265	Xerox® VersaLink® B7025/B7030/B7035	Xerox® AltaLink® B8045/B8055/B8065/B8075/B8090
Performance			
Engine Speed (up to)	55 ppm	25 / 30 / 35 ppm	45 / 55 / 65 / 75 / 90 ppm
Total Device Memory	2 GB	2 GB	4 GB
Duty Cycle (max)	250,000 pages/month	107,000 / 129,000 / 153,000 pages/month	175,000 / 200,000 / 250,000 / 300,000 / 400,000 pages/month
Recommended Monthly Print Volume	Up to 25,000 pages	13,000 / 15,000 / 17,000 pages/month	Up to 15,000 to 150,000 pages
Print			
Resolution	1200 x 1200 enhanced image quality	1200 x 1200 dpi	1200 x 1200 dpi, 256 shades of gray
Page Description Languages	Adobe PostScript 3 compatibility, PCL 5c/e / PCL 6 emulations, XPS	PCL 5e/PCL 6/PDF/XPS/TIFF/JPEG/HP-GL/optional Adobe PostScript 3	Adobe PostScript 3, PDF, PCL 5c / PCL 6, XPS (optional)
Connectivity	10/100/1000Base-T Ethernet, High Speed USB 2.0 Direct Print, optional Wi-Fi (with Xerox® Wireless Networking Adapter)	Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi and Wi-Fi Direct with optional Wi-Fi Kit, NFC Tap-to-Pair	10/100/1000Base-T Ethernet, High Speed USB 2.0 Direct Print, Wi-Fi Direct with Optional USB Wireless Adapter, NFC Tap-to-Pair
Copy			
Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
First-copy-out Time (as fast as)	5 seconds	6.8 / 5.4 / 5.4 seconds	B8045/B8055: 3.8 seconds from the platen / 7.4 seconds from the DADF B8065: 3.3 seconds from the platen / 7.2 seconds from the DADF B8075: 2.9 seconds from the platen / 6.9 seconds from the DADF B8090: 4.9 seconds from the platen / 8.7 seconds from the DADF
Fax			
Speed	33.6 Kbps	33.6 Kbps	33.6 Kbps
Resolution (max)	300 x 300 dpi	600 x 600 dpi	400 x 200 dpi
Scan			
Resolution (max)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Scan Destinations	Home, Computer via SMB, Mailbox, Email, Folder, SMB, FTP, SFTP, Client, Network, HTTP, HTTPS, XPS, PDF/A, Image-only PDF, JPEG, Single and Multi-page TIFF, USB Memory Device, TWAIN Support	Scan to USB/Email/Network (FTP/SMB), Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Protected PDF, Optical Character Recognition (OCR)	Scan to USB / Email / Network (FTP/SMB); File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: Scan to Home, Searchable PDF, Single/Multi-Page PDF / XPS / TIFF, Password Protected PDF, Unified Address Book, Optical Character Recognition (OCR)
Paper Handling			
Document Feeder Type	100-sheet DADF	110-sheet DADF	200-sheet single-pass DADF
Two-sided Output	Automatic	Automatic	Automatic
Paper Input (std / max)	620 / 3,240 sheets	620 / 5,140 sheets	4,700 / 8,000 sheets
Media Sizes	3.9 x 5.8 to 8.5 x 14 in.	3.5 x 3.87 to 11.69 x 17 in.	4.25 x 5.5 to 11 x 17 in.
Media Weights	60-163 gsm	60-256 gsm	60-216 gsm
Productivity Options¹	520-sheet Paper Tray, 2100-sheet High Capacity Feeder, 4-Tray Stand, 2-Tray Stand, Finisher, Network Accounting Enablement, Network Fax Server Enablement, Fax Kit, Foreign Device Interface, Common Access Card Enablement Kit, Wireless Kit	320 GB HDD (optional on Desktop model), Single Tray Module, Single Tray Module with Stand, Three Tray Module, High Capacity Tandem Tray Module, 2,000-sheet High Capacity Feeder, Envelope Tray, Integrated Office Finisher, Office Finisher LX, Convenience Stapler and Work Surface, Walk up Fax (One- or Two-line options, optional Fax over IP Kit, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, RFID Kit	High Capacity Feeder (HCF), HCF Kits, Envelope Tray, Offset Catch Tray, Office Finisher, Office Finisher with Booklet Maker, High Volume Finisher (HVF), HVF with Booklet Maker, C-Fold/Z-Fold Unit for HVF, Post Process Inserter for HVF, Convenience Stapler, Smart Card, Enablement Kit, Walk up Fax (One- or Two-line options, includes LAN Fax), Wi-Fi Direct with Optional USB Wireless Adapter, XPS Print Option Kit, Keyboard Kit, McAfee® Integrity Control Enablement Kit
Warranty	One-year on-site, earn free service coverage with Xerox eConcierge® service, Xerox Total Satisfaction Guarantee	90-day on-site, Xerox Total Satisfaction Guarantee	90-day on-site, Xerox Total Satisfaction Guarantee

¹ Standard on certain configurations or available as an option.

For more information about our family of Xerox® office printers and multifunctions, see your Xerox® reseller or visit www.xerox.com/office.