

Xerox® Phaser® and Xerox® WorkCentre®

Small-business-class
Color Printers and
Multifunction Printers



Phaser® and WorkCentre® Small-Business-Class Color Printers and Multifunction Printers

Evaluator Guide

Table of Contents

Introducing the Small-Business-Class Color Lineup	Evaluating Environmental Sustainability	Evaluating Total Cost of Ownership (TCO) and Cost/Value Benefits
4 Product Lineup Overview	16	20
Evaluating Your Needs	Evaluating Ease of Use and Management	Specifications
6 Xerox® Printers and Multifunction Printers	17	21 Configuration Summaries and Options
Evaluating Output Quality	Evaluating Security	Support and Additional Information Sources
8	19	27
Evaluating Productivity		
10		

Introducing the Small-Business-Class Color Lineup

Product Lineup Overview

This Evaluator Guide introduces you to our lineup of small-business-class color, letter/legal-size printers and multifunction printers. These are ideal for individuals and small teams of professionals.

To help you select which color printer or multifunction printer is the right fit for your specific needs, we provide a simple breakdown of the key Xerox advantages, and explain the performance attributes, capabilities, features and detailed specifications for each Xerox® device.

Below is a quick glimpse of the Xerox® color printers and multifunction printers covered in this Evaluator Guide. You'll find additional details regarding each device's capabilities, features and benefits in the sections that follow.



Xerox® Phaser® 6022 Color Printer

- Ideal for 1 to 5 users
- Print up to 18 ppm color / 18 ppm black-and-white
- Recommended monthly print volume: Up to 1,500 pages*
- 150-sheet paper capacity



Xerox® Phaser® 6510 Color Printer

- Ideal for 2 to 7 users
- Print up to 30 ppm color / 30 ppm black-and-white
- Recommended monthly print volume: Up to 3,000 pages*
- 300-sheet paper capacity, expandable to 850 sheets
- Includes mobile printing support across multiple mobile platforms



Xerox® Phaser® 6600 Color Printer

- Ideal for 1 to 10 users
- Print up to 36 ppm color and black-and-white
- Recommended monthly print volume: Up to 5,000 pages*
- 550-sheet paper capacity, expandable to 1,100 sheets (plus 150-sheet Multipurpose Tray)

* Range reflects the number of pages per month the product can regularly print while maintaining optimal performance (considering factors including supplies replenishment and reliability over the expected product life).

Xerox® Color Letter/Legal-size Printers and Multifunction Printers

Need more performance? Xerox offers a full line of advanced color printers and multifunction printers for every office and every budget. Visit www.xerox.com/office or contact your Xerox® sales representative to learn more.



In this guide



Xerox® WorkCentre® 6027 Color Multifunction Printer

- Ideal for 1 to 4 users
- Print / copy / scan / fax / email
- Print up to 18 ppm color / 18 ppm black-and-white
- Recommended monthly print volume: Up to 1,500 pages*
- 150-sheet paper capacity



Xerox® WorkCentre® 6515 Color Multifunction Printer

- Ideal for 2 to 7 users
- Print / copy / scan / fax / email
- Print up to 30 ppm color / 30 ppm black-and-white
- Recommended monthly print volume: Up to 3,000 pages*
- 300-sheet paper capacity, expandable to 850 sheets
- Includes mobile printing support across multiple mobile platforms
- Print and scan from the cloud



Xerox® WorkCentre® 6605 Color Multifunction Printer

- Ideal for 1 to 10 users
- Print / copy / scan / fax / email
- Print up to 36 ppm color and black-and-white
- Recommended monthly print volume: Up to 5,000 pages*
- 550-sheet paper capacity, expandable to 1,100 sheets (plus 150-sheet Multipurpose Tray)

* Range reflects the number of pages per month the product can regularly print while maintaining optimal performance (considering factors including supplies replenishment and reliability over the expected product life).

Xerox® Phaser® and Xerox® WorkCentre® Printers and Multifunction Printers

Evaluating Your Needs

Consider the capabilities you need and the performance requirements of your office.

When evaluating which color printer or multifunction printer best addresses your needs, it's important to have a clear understanding of exactly what those needs are.

Do you need a no-frills printer or multifunction printer that connects directly to a single workstation? Or does your workload demand a higher-performance device that's designed to support the printing, copying, faxing, scanning and emailing needs of several networked users in a fast-paced environment?

When evaluating your day-to-day office needs, consider these factors:

- Print-only vs. print / copy / scan / fax / email
- Number of users
- Network connectivity
- Output speed
- Recommended monthly print volume
- Paper capacity
- Automatic document feeder
- Automatic two-sided printing
- Maximum print cartridge capacity
- Device dimensions

Consult the following chart for a device-by-device listing of these capabilities and performance attributes on the Xerox® small-business-class color lineup.

Capabilities/Performance Attributes

	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® Phaser® 6600	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® WorkCentre® 6605
Functionality	Print	Print	Print	Print, copy, scan, fax, email	Print, copy, scan, fax, email	Print, copy, scan, fax, email
Number of Users	Up to 5	Up to 7	Up to 10	Up to 4	Up to 7	Up to 10
Network Connectivity	Yes	Yes	Yes	Yes	Yes	Yes
Wireless Connectivity	Standard	Optional	Optional	Standard	Optional	Optional
Output Speed (pages per minute)	Up to 18 ppm color Up to 18 ppm black-and-white	Letter: Up to 30 ppm color Up to 30 ppm black-and-white A4: Up to 28 ppm color Up to 28 ppm black-and-white	Letter: Up to 36 ppm color Up to 36 ppm black-and-white A4: Up to 35 ppm color Up to 35 ppm black-and-white	Printing: Up to 18 ppm color Up to 18 ppm black-and-white Copying: Up to 18 ppm color Up to 18 ppm black-and-white	Letter: Up to 30 ppm color Up to 30 ppm black-and-white A4: Up to 28 ppm color Up to 28 ppm black-and-white	Letter: Up to 36 ppm color Up to 36 ppm black-and-white A4: Up to 35 ppm color Up to 35 ppm black-and-white
Duty Cycle¹	Up to 30,000 pages per month	Up to 50,000 pages per month	Up to 80,000 pages per month	Up to 30,000 pages per month	Up to 50,000 pages per month	Up to 80,000 pages per month
Recommended Monthly Print Volume²	Up to 1,500	Up to 3,000	Up to 5,000	Up to 1,500	Up to 3,000	Up to 5,000
Paper Capacity	150 sheets	300 sheets standard 850 sheets max	150-sheet Multipurpose Tray 550 sheets standard 1,100 sheets max	150 sheets	300 sheets standard 850 sheets max	150-sheet Multipurpose Tray 550 sheets standard 1,100 sheets max
Automatic Document Feeder	No	No	No	Yes	Yes (Single-pass DADF)	Yes (DADF)
Automatic Two-sided Printing	Manual	6510N: Optional 6510DN, DNI: Standard	6600N: N/A 6600DN: Standard	Manual	6515N: Optional 6515DN, DNI: Standard	6605N: N/A 6605DN: Standard
Maximum Print Cartridge Capacity³	Black: 2,000 Cyan: 1,000 Magenta: 1,000 Yellow: 1,000	Black: 5,500 Cyan: 4,300 Magenta: 4,300 Yellow: 4,300	Black: 8,000 Cyan: 6,000 Magenta: 6,000 Yellow: 6,000	Black: 2,000 Cyan: 1,000 Magenta: 1,000 Yellow: 1,000	Black: 5,500 Cyan: 4,300 Magenta: 4,300 Yellow: 4,300	Black: 8,000 Cyan: 6,000 Magenta: 6,000 Yellow: 6,000
Dimensions	6022 W: 15.6 in. / 397 mm D: 15.7 in. / 398 mm H: 9.7 in. / 246 mm Weight: 27.3 lbs. / 12.4 kg	6510/N, DN W: 16.5 in. / 420 mm D: 19 in. / 483 mm H: 13.7 in. / 347 mm Weight: 52.5 lbs. / 23.8 kg 6510DNI W: 16.5 in. / 420 mm D: 19.6 in. / 499 mm H: 13.7 / 347 mm Weight: 52.5 lbs. / 23.8 kg	6600 W: 16.9 in. / 430 mm D: 19.2 in. / 488 mm H: 15.1 in. / 384 mm Weight: 56.2 lbs. / 25.5 kg	6027 W: 16.2 in. / 410 mm D: 17.2 in. / 439 mm H: 15.3 in. / 388 mm Weight: 37.3 lbs. / 16.9 kg	6515 W: 16.5 in. / 420 mm D: 19.9 in. / 506 mm H: 19.7 in. / 500 mm Weight: 67.7 lbs. / 30.7 kg	6605 W: 16.9 in. / 430 mm D: 20.8 in. / 528 mm H: 22 in. / 560 mm Weight: 71.7 lbs. / 32.5 kg

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

² Range reflects the number of pages per month the product can regularly print while maintaining optimal performance (considering factors including supplies replenishment and reliability over the expected product life).

³ Average standard pages. Declared Yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and print mode.

Evaluating Output Quality

Take a look at available color tools and technologies to improve your output.

When evaluating the output quality delivered by the small-business-class color printers and multifunction printers, first determine the types of documents you most frequently produce.

Do you need color output for simple, non-business critical documents, or is your goal to produce color business collaterals in-house, such as pamphlets, newsletters and flyers?

Xerox leads the color printing industry, delivering unrivaled print quality through more than 20 years of technology innovations. Xerox® Phaser® color printers and Xerox® WorkCentre® color multifunction printers provide all the benefits of black-and-white performance, plus the competitive advantage of color when your work demands it.

The following describes the print-quality attributes and features of the Xerox® small-business-class of Phaser color printers and WorkCentre color multifunction printers.

Xerox Built-in Color Technologies

Xerox® EA Toner

Award-winning, Xerox exclusive EA toner, chemically grown to produce the market's smallest, most uniformly shaped particles, delivers sharper clarity, excellent shadowing and outstanding fine-line detail. It's the same toner used by our high-end, large-workteam-class color printers and multifunction devices.

Automatic Color Correction

The automatic color correction technology selects the best color settings based on the print job's content to ensure beautiful, accurate color with every print.

Color Adjustment and Calibration Tools

Xerox print drivers feature intuitive controls for adjusting and calibrating color output, giving you greater control over the appearance of your color print jobs.

Industry-standard Color Specifications / Tools

Resolution

Print resolution capability is typically measured in dots per inch (dpi). However, a laser "dot" can behave differently depending on the printer. For example, the Xerox® Phaser® 6600 and Xerox® WorkCentre® 6605 (covered in this guide) deliver up to 600 x 600 x 4 dpi, which produces an amazing 16 shades of color per pixel. Such print quality is often perceived as being equal to or superior to many 1200 x 1200 dpi devices. Other factors contribute to print quality, as well, including the presence or absence of the features that follow.

PANTONE® Color

The PANTONE Matching System is the definitive international reference for selecting, specifying, matching and controlling ink colors. Xerox® printers and multifunction printers with PANTONE Color calibrated solid-color simulations enable output to closely approximate predefined colors in a Pantone color table. This ensures that printed colors consistently match your intended output, which is critical when printing important documents such as letterhead with color company logos.

Adobe® PostScript® 3™

PostScript is a page description language that acts as an interpreter inside the printer or multifunction printer. With true Adobe® PostScript® 3™ print language, your documents are printed with the utmost brightness and the truest possible colors and graphics.

Output Quality Features

	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® Phaser® 6600	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® WorkCentre® 6605
EA Toner	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Color Correction	No	Yes	Yes	No	Yes	Yes
Color Adjustment and Calibration Tools	Yes	Yes	Yes	Yes	Yes	Yes
Print Resolution (max)	1200x2400 dpi enhanced image quality	1200x2400 dpi	600x600x4 dpi (1200x1200 enhanced image quality)	1200x2400 dpi enhanced image quality	1200x2400 dpi	600x600x4 dpi (1200x1200 enhanced image quality)
Copy Resolution (max)	N/A	N/A	N/A	600x600 dpi	600x600 dpi	600x600 dpi
Scan Resolution (max)	N/A	N/A	N/A	600x600 dpi (via User Interface) 1200x1200 dpi (via TWAIN)	600 x 600 dpi - optical	1200x1200 dpi
Fax Resolution (max)	N/A	N/A	N/A	406x392 dpi	400x400 dpi	300x300 dpi
Pantone® Color Calibrated Solid-color Simulations	Yes	Yes	Yes	Yes	Yes	Yes
Adobe® Postscript® 3™	PostScript 3 emulation	Yes	Yes	PostScript 3 emulation	Yes	Yes

Evaluating Productivity

Printing and Copying

Consider efficiency tools to enhance printing and copying capabilities.

The basic printing and copying productivity that a device can deliver is a critical consideration when evaluating which color printer or multifunction printer to purchase for your office.

Does the device deliver the level of performance required to support the demands of a busy single user or small workteam?

Does it offer the flexibility to create more office document possibilities? Can it be expanded in the future to include additional features for your increasing workload, such as expanded memory?

Are there work-saving features designed to improve office efficiency?

Look for the following performance attributes and helpful features when comparing our lineup of small-business-class Xerox® Phaser® color printers and Xerox® WorkCentre® color multifunction printers.

Performance

Output Speed

Measured in pages-per-minute (ppm), a device's output speed is specified for both color and black-and-white pages.

First-page-out Time

For average print jobs of three pages or less, the most important specification is first-page-out time, which is the time it takes for the device to receive and process print or copy data, and produce the first page.

Adobe® PostScript® 3™

PostScript is a page description language that acts as an interpreter inside the printer or multifunction printer. Because processing occurs within the device, there is less network traffic and increased efficiency.

PCL®

PCL (Printer Command Language) is a page description language that functions in similar fashion to that of Adobe PostScript. Most commonly found with color printers and multifunction printers are PCL versions 5c, 5e and/or 6.

Processor

The faster a device's internal processor (measured in MHz), the quicker it is to print complex documents.

Flexibility

Expandable Memory

Several of the printers and multifunction printers discussed in this guide allow the installation of additional RAM, which increases a device's print productivity and enables more advanced features.

Automatic Two-sided Printing

With automatic two-sided printing, multipage print jobs are automatically printed on the front and back side of each sheet of paper for increased efficiency and reduced paper usage.

Booklet Printing

With booklet printing, a printer or multifunction printer formats printed documents, such as brochures or handouts, for folding into booklets to create professional-looking collaterals in-house.

N-up Printing, N-up Copying

With N-up printing and N-up copying, multiple pages are reduced in size and then printed/copied on a single sheet of paper. This feature is especially useful when outputting presentations or numerous thumbnail images, or when trying to conserve paper.

Poster Printing, Poster Copying

Poster printing and poster copying enlarge an image by printing/copying portions of it onto multiple pages, which can be secured together to create a poster.

ID Card Copy

Copy both sides of an ID card, driver's license or other small document and print onto a single sheet of paper.

Run Black

When one or more color toner cartridges become depleted, the Run Black feature allows the printer or multifunction printer to continue printing black-and-white documents without interruption.

Work-saving Features

RAM Collation

By using the printer's or multifunction printer's RAM to collate multiple sets of multi-page print jobs, RAM collation eliminates the need to manually collate documents after the print job is completed.

Automatic Document Feeder (ADF)

An ADF allows you to load a stack of originals for automatic copying, scanning or faxing at the touch of a button. ADF capacities range from 15 sheets to 50 sheets for this class of printers and multifunction printers.

Proof Print

When producing multiple sets of the same print job, the proof print feature allows you to print the first set, check it for accuracy, and then either release or delete the remaining sets using the device's front panel.

Productivity

	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® Phaser® 6600	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® WorkCentre® 6605
Print Output Speed (pages per minute)	Up to 18 ppm color Up to 18 ppm black- and-white	Letter: Up to 30 ppm Up to 30 ppm black- and-white A4: Up to 28 ppm color Up to 28 ppm black- and-white	Letter: Up to 36 ppm color Up to 36 ppm black- and-white A4: Up to 35 ppm color Up to 35 ppm black- and-white	Up to 18 ppm color Up to 18 ppm black- and-white	Letter: Up to 30 ppm Up to 30 ppm black- and-white A4: Up to 28 ppm color Up to 28 ppm black- and-white	Letter: Up to 36 ppm color Up to 36 ppm black- and-white A4: Up to 35 ppm color Up to 35 ppm black- and-white
Copy Output Speed (pages per minute)	N/A	N/A	N/A	Up to 18 ppm color Up to 18 ppm black- and-white	Letter: Up to 30 ppm Up to 30 ppm black- and-white A4: Up to 28 ppm color Up to 28 ppm black- and-white	Letter: Up to 36 ppm color Up to 36 ppm black- and-white A4: Up to 35 ppm color Up to 35 ppm black- and-white
First-page-out Time (print)	As fast as 13 sec. color/ 12 sec. black-and-white	As fast as 12 sec. color/ 12 sec. black-and-white	As fast as 10 sec. color/ 9 sec. black-and-white	As fast as 13 sec. color/ 12 sec. black-and-white	As fast as 12 sec. color/ 12 sec. black-and-white	As fast as 10 sec. color/ 9 sec. black-and-white
First-page-out Time (copy)	N/A	N/A	N/A	As fast as 30 sec. color/ 20 sec. black-and-white	As fast as 12 sec. color/ 12 sec. black-and-white	As fast as 16 sec. color/ 13 sec. black-and-white
Adobe® PostScript® 3™	PostScript 3 emulation	Yes	Yes	PostScript 3 emulation	Yes	Yes
PCL®	Yes	Yes	Yes	Yes	Yes	Yes
Apple AirPrint™	Yes	Yes	Yes¹	Yes	Yes	Yes¹
Processor	525 MHz	733 MHz	533 MHz	525 MHz	1.05 GHz	533 MHz
Memory	256 MB	1 GB	256 MB standard, expandable to 768 MB	512 MB	2 GB	512 standard, expandable to 1 GB
Automatic Two-sided Printing	No	6510N: Optional 6510DN/DNI: Standard	6600N: N/A 6600DN: Standard	No	6515N: Optional 6515DN/DNI: Standard	6605N: N/A 6605DN: Standard
Booklet Printing	Yes	Yes	Yes	Yes	Yes	Yes
N-up Printing	Yes	Yes	Yes	Yes	Yes	Yes
N-up Copying	N/A	N/A	N/A	Yes	Yes	Yes
Poster Printing	Yes	Yes	No	Yes	Yes	No
Poster Copying	N/A	N/A	N/A	No	Yes	No
ID Card Copy	N/A	N/A	N/A	Yes	Yes	Yes
Run Black	Yes	Yes	Yes	Yes	Yes	Yes
Ram Collation	Standard	Standard	Optional	Standard	Standard	Standard
Automatic Document Feeder	N/A	N/A	N/A	15 sheets	50-sheet Single-Pass DADF	50-sheet DADF
Proof Print	No	Standard	No	No	Standard	No

¹ Requires Firmware 201301301313 for Phaser 6600 and Firmware 201301301321 for WorkCentre 6605.

Evaluating Productivity

Scanning and Faxing

Consider the benefits of paperless work processes.

Scanning and faxing powers the conversion of paper to electronic documents, enabling digital distribution and archiving of hard-copy documents for increased workflow efficiency and reduced consumables usage. Additional tools let you manage documents and convert scanned images into editable files.

Xerox® WorkCentre® small-business-class multifunction printers include powerful scanning capabilities and helpful features that streamline office-work processes for busy individuals and small workteams.

Scan File Formats

WorkCentre multifunction printers allow you to specify the file format into which the scanned document is converted for greater flexibility and to ensure compatibility with potential recipients.

Scanning Capabilities

Scan to PC / Mac

Scan a document at the multifunction printer and route the digital file directly to your workstation via USB connection.

Scan to USB Memory Device

A standard USB port on the front of the Phaser printer or WorkCentre multifunction printer accepts any removable USB memory device. Scanned documents can be saved directly to the USB memory device for increased document portability.

Scan to Email

Send scanned documents to multiple email recipients at the same time directly from the multifunction printer. This helpful productivity feature eliminates the need to scan a file to your workstation and emailing the scanned document as an attachment.

Scan to Network

For fast and easy digital archiving, WorkCentre multifunction printers with the Scan to Network capability allow you to transfer scanned documents over your network directly to a host server or computer using a specified network protocol, such as FTP or SMB.

Color Scanning

Multifunction printers with color scanning capability allow your color documents to retain their full-color characteristics when scanned at the device.

LDAP Support

The Lightweight Directory Access Protocol, or LDAP, enables the multifunction printer to retrieve recipients' contact information directly from your network, eliminating the need to manually enter email addresses and fax numbers at the device.

Scanning Software

Xerox® Scan to PC Desktop® Software

WorkCentre multifunction printers either include or offer Xerox® Scan to PC Desktop software, which enables a robust set of scanning capabilities, such as converting documents into editable Word or Excel files. For more information, visit www.xerox.com/scan2pcSE.

Faxing Capabilities

Xerox® multifunction printers help you consolidate office devices without sacrificing the powerful faxing capabilities you rely on as an important communication tool.

Walk-up Fax

With walk-up fax capability, the multifunction printer operates as a traditional fax machine, using a standard telephone connection and 33.6 Kbps transmission speed.

LAN Fax

Multifunction printers with LAN fax functionality let you fax documents directly from your workstation via the print driver.

Fax Forward to Email

With fax forward to email, incoming fax transmissions can be automatically routed directly to your email inbox for convenient fax receipt any place with Internet access.

Fax Forward

Allows you to forward received faxes to other fax machines for easy distribution.

Fax Resolution

The fax resolution for each multifunction printer is specified as the maximum number of dots per inch (dpi).

Color Fax Send/Receive

The multifunction printer has the ability to send and/or receive color faxes for clearer communications.

Secure Fax Receive

When a fax containing sensitive information is received by the multifunction printer, it stays in memory until the intended recipient enters a password at the device and allows the document to print.

Scan Features

	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® WorkCentre® 6605
Scan File Formats	Image-only PDF, TIFF, JPEG	PDF, JPEG, TIFF (Single and multi-page), Searchable PDF with integrated OCR	PDF, JPEG, TIFF (single and multi-page)
Scan to PC / Mac	Yes	Yes	Yes
Scan to USB Memory Device	Yes	Yes	Yes
Scan to Email	Yes	Yes	Yes
Scan to Network	Yes	Yes (FTP and SMB)	Yes (FTP and SMB)
Color Scanning	Yes	Yes	Yes
LDAP Support	Yes	Yes	Yes
Xerox® Scan to PC Desktop® Software	Standard: Personal Edition	Not available	Standard: Personal Edition

Fax Features

	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® WorkCentre® 6605
Walk-up Fax ¹	Yes	Yes	Yes
Lan Fax (send)	Yes	Yes	Yes
Fax Forward to Email	Yes	Yes	Yes
Fax Forward to FTP/SMB Server	Yes	No	Yes ²
Fax Forward	Yes	Yes	Yes
Fax Resolution (max)	406x392 dpi	400x400 dpi	300x300 dpi
Color Fax Send / Receive	No	No	No
Secure Fax Receive	Yes	Yes	Yes

¹ Analog phone line required

² Requires Firmware 201301301313 for Phaser 6600 and Firmware 201301301321 for WorkCentre 6605.

Evaluating Productivity

Paper Handling

Review your current and future print volumes and media requirements.

When evaluating paper handling capabilities, consider your current and future print requirements. How many print jobs do you run each day? Will you need additional paper trays so you can keep sufficient quantities of different types of paper loaded? Do you print on heavyweight papers and/or different types of media, such as labels and transparencies?

The following considerations should be kept in mind when evaluating this class of printers and multifunction printers.

Paper Capacity

Ample paper capacity allows you to print more without interruption. If you print a lot, or anticipate an increase in your printing workload, consider adding an extra paper tray.

Automatic Two-sided Printing

If you'd like the ability to produce your own professional-looking collaterals, look for automatic two-sided printing. You'll not only improve the look and feel of your documents, you'll also use less paper.

Automatic Document Feeder

Need to copy multipage documents? An automatic document feeder lets you insert an entire report, presentation or any other multipage collateral into the device and copy every page at the push of a button.

Custom Media and Paper Sizes

The right paper handling capabilities and features allow you to bring more types of color print jobs in house. Consider the variety of media the printer or multifunction printer can handle, such as labels and card stock, and whether the device accepts a wide range of paper sizes.

Paper Handling Hardware

	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® Phaser® 6600	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® WorkCentre® 6605
Paper Capacity	Standard: 150 sheets	Standard: Tray 1 250 sheets Optional: Tray 2 550 sheets	Standard: Multipurpose Tray 150 sheets Tray 1 550 sheets Optional: Tray 2 550 sheets	Standard: 150 sheets	Standard: Tray 1 250 sheets Optional: Tray 2 550 sheets	Standard: Multipurpose Tray 150 sheets Tray 1 550 sheets Optional: Tray 2 550 sheets
Automatic Two-sided Printing	No	6510N: Optional 6510DN/DNI: Standard	6600N: No 6600DN: Standard	No	6515N: Optional 6515DN/DNI: Standard	6605N: No 6605DN: Standard
Bypass Tray	N/A	50 sheets	150-sheet Multipurpose Tray	N/A	50 sheets	150-sheet Multipurpose Tray
Automatic Document Feeder	N/A	N/A	N/A	15 sheets	50-sheet Single-Pass DADF	50-sheet DADF

Media Specifications*

	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® Phaser® 6600	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® WorkCentre® 6605
Media Sizes	Main Tray: Custom sizes: 3 x 5 in. to 8.5 x 14 in. (76 x 127 mm to 216 x 356 mm)	Bypass Tray: Custom sizes: 3 x 5 in. to 8.5 x 14 in. (76 x 127 mm to 216 x 356 mm) Tray 1: Custom sizes: 3 x 5.8 in. to 8.5 x 14 in. (76 x 147 mm to 216 x 356 mm) Optional Tray 2: Custom sizes: 3 x 7.5 in. to 8.5 x 14 in. (76 x 191 mm to 216 x 356 mm)	Multipurpose Tray: Custom sizes: 3 x 5 in. to 8.5 x 14 in. (76.2 x 127 mm to 216 x 356 mm) Trays 1 and 2: Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. (148 x 210 mm to 216 x 356 mm)	ADF: 5.8 x 8.3 in. to 8.5 x 14 in. (148 x 210 mm to 216 x 356 mm) Main Tray: Custom sizes: 3 x 5 in. to 8.5 x 14 in. (76 x 127 mm to 216 x 356 mm)	Single-Pass DADF: Custom Sizes: 5.5 x 5.5 in. to 8.5 x 14 in. (139.7 x 139.7 mm to 216 x 356 mm) Bypass Tray: Custom sizes: 3 x 5 in. to 8.5 x 14 in. (76 x 127 mm to 216 x 356 mm) Tray 1: Custom sizes: 3 x 5.8 in. to 8.5 x 14 in. (76 x 147 mm to 216 x 356 mm) Optional Tray 2: Custom sizes: 3 x 7.5 in. to 8.5 x 14 in. (76 x 191 mm to 216 x 356 mm)	DADF: Custom sizes: 5 x 5 in. to 8.5 x 14 in. (140 x 140 mm to 216 x 356 mm) Multipurpose Tray: Custom sizes: 3 x 5 in. to 8.5 x 14 in. (76.2 x 127 mm to 216 x 356 mm) Trays 1 and 2: Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. (148 x 210 mm to 216 x 356 mm)
Media Weights	16 lb. bond – 60 lb. cover / 60 – 163 gsm	Bypass Tray and Trays 1 and 2: 16 lb. bond – 80 lb. cover / 60 – 220 gsm	Multipurpose Tray, Tray 1 and Tray 2: 16 lb. bond – 80 lb. cover / 60 – 216 gsm	ADF: 16 – 28 lb. bond / 60 – 105 gsm Main Tray: 16 lb. bond – 60 lb. cover / 60 – 163 gsm	Single-Pass DADF: 16 lb. bond – 45 lb. cover / 60 – 125 gsm Bypass Tray and Trays 1 and 2: 16 lb. bond – 80 lb. cover / 60 – 220 gsm	Multipurpose Tray, Tray 1 and Tray 2: 16 lb. bond – 80 lb. cover / 60 – 216 gsm
Media Types	Plain paper, bond, lightweight cardstock, lightweight glossy cardstock, envelopes, labels, recycled, plain-reloaded, bond- reloaded, lightweight cardstock reloaded, lightweight glossy card stock reloaded, recycled-reloaded	Bond, plain paper, cardstock, custom, envelopes, glossy cardstock, hole punched, labels, letterhead, lightweight cardstock, lightweight glossy cardstock, pre-printed, recycled	Plain paper, hole punched, letterhead, colored, lightweight cardstock, lightweight glossy cardstock, heavyweight cardstock, heavyweight glossy cardstock, labels, envelopes	Plain paper, bond, lightweight cardstock, lightweight glossy cardstock, envelopes, labels, recycled, plain-reloaded, bond- reloaded, lightweight cardstock reloaded, lightweight glossy card stock reloaded, recycled-reloaded	Bond, plain paper, cardstock, custom, envelopes, glossy cardstock, hole punched, labels, letterhead, lightweight cardstock, lightweight glossy cardstock, pre-printed, recycled	Plain paper, hole punched, letterhead, colored, lightweight cardstock, lightweight glossy cardstock, heavyweight cardstock, heavyweight glossy cardstock, labels, envelopes

* For more information, visit www.xerox.com to read our Recommended Media Lists.

Evaluating Environmental Sustainability

Consider features that minimize environmental impact.

The environmental impact of an office device can be assessed in a variety of ways. Does it meet ENERGY STAR® standards? Does it have energy saving and paper-saving features? Does the manufacturer have a recycling plan?

In 2007 and 2008, Xerox was named to the Dow Jones Sustainability Index for North America. In addition, we were picked by an independent research firm, KLD, which identifies companies that meet globally recognized standards for corporate responsibility. But our environmental leadership goes far beyond reducing our own environmental footprint. Our products, such as Xerox® Phaser® printers and Xerox® WorkCentre® multifunction printers discussed in this guide, help our customers become greener as well.

With small, toner-only cartridges and a commitment to using cleverly designed packaging, Xerox® products help reduce office waste.

Plus, Xerox was among the first technology companies to set a company-wide target for reducing greenhouse gas emissions. We joined the U.S. EPA Climate Leaders program

in 2003 and subsequently set a target to reduce total greenhouse gas emissions by 10 percent from 2002 to 2012. We achieved our first goal six years early and then announced an even more aggressive goal – a 25 percent reduction in total greenhouse gas emissions from 2002 to 2012.

Look for the following attributes when evaluating the environmental sustainability strengths of this class of Phaser printers and WorkCentre multifunction printers.

Energy-saving Features

Energy Star® Qualified

Phaser printers and WorkCentre multifunction printers comply with ENERGY STAR® environmental performance standards, ensuring that you'll save money on electricity while also benefitting the environment.

Waste-reducing Features

Xerox® EA Toner

More than just a print-quality advantage, EA toner also emits 65 percent less carbon dioxide during manufacture.

Paper-saving Features

Automatic Two-sided Printing

With automatic two-sided printing, multipage print jobs are automatically printed on the front and back side of each sheet of paper for increased efficiency and reduced paper usage.

N-up Printing, N-up Copying

With N-up printing and N-up copying, multiple pages are reduced in size and then printed/ copied on a single sheet of paper. This feature is especially useful when trying to conserve paper.

Recycling

Green World Alliance

For qualified Phaser printers and WorkCentre multifunction printers, Xerox makes it fast, easy and free for you to recycle your depleted toner cartridges through our Green World Alliance Recycling Program. Visit www.xerox.com/gwa to learn more.

Sustainability Features

	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® Phaser® 6600	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® WorkCentre® 6605
ENERGY STAR Qualified	Yes	Yes	Yes	Yes	Yes	Yes
Green World Alliance	Yes	Yes	Yes	Yes	Yes	Yes
EA Toner	Yes	Yes	Yes	Yes	Yes	Yes
Automatic Two-sided Printing	No	6510N: Optional 6510DN/DNI: Standard	6600N: No 6600DN: Standard	No	6515N: Optional 6515DN/DNI: Standard	6605N: No 6605DN: Standard
N-up Printing	Yes	Yes	Yes	Yes	Yes	Yes
N-up Copying	N/A	N/A	N/A	Yes	Yes	Yes
2-2 Sided Copying	N/A	N/A	N/A	No	Yes	Yes

Evaluating Ease of Use and Management

Take a look at how easy the device is to use and manage on a network.

In most cases, individual users and small businesses have limited access to IT resources. Therefore, it's important that the color printer or multifunction printer you purchase is easy to install, use and manage.

Evaluate the tools delivered with the printer or multifunction printer, and whether they will ease the task of installing the device and simplify day-to-day usage and management. Is the device simple to operate, and will users quickly feel comfortable with it? Are the user interfaces, both the front panel and print driver, well designed and easy to navigate?

Xerox® Phaser® color printers and Xerox® WorkCentre® color multifunction printers are designed to be set up and installed by non-technical users. The included quick install guide helps install optional accessories, connect the printer to your network and a power source, and power-up the device.

Easy-access consumables, such as toner cartridges, allow for fast, easy replacement by any user for minimal device downtime.

Also, all Xerox drivers are Windows Hardware Quality Labs (WHQL) certified, ensuring compliance with Microsoft® standards and seamless compatibility with Microsoft Windows® environments.

Look for the following attributes and features when evaluating the ease-of-ownership offered by the color printers and multifunction printers covered in this guide.

Installation and Management

Xerox® Phaser® Installer

Xerox® Phaser® Installer greatly simplifies the driver installation process, getting your printer or multifunction printer up and running in about two minutes – with no computer reboot required.

DHCP

With the DHCP networking protocol, your color printer or multifunction printer will automatically be assigned an IP address and join your network.

Pre-installed Print Cartridges

Xerox® printers and multifunction printers with pre-installed print cartridges are virtually plug-and-play.

Xerox® CentreWare® Internet Services (CentreWare IS) / Xerox® Embedded Web Server

This allows networked users to connect to their printer or multifunction printer via any standard web browser to install print drivers, monitor printer status, view the print job queue, manage settings and properties and access troubleshooting and support resources.

Xerox® CentreWare Web Software

Office environments that have multiple printers and multifunction printers connected to their networks can install, monitor, configure, track usage and troubleshoot from any workstation via one convenient and powerful web application. Additionally, the interoperability of CentreWare Web means it can be used to monitor non-Xerox® devices as well.

Mac Friendly

And for users in Mac environments, peace of mind comes from knowing that printers and multifunction printers are the devices of choice for more Mac users than any other brand of office equipment.

Day-to-day Use

Bi-directional Print Drivers

With bi-directional print drivers, two-way communication between your computer and your printer or multifunction printer allows you to receive helpful device-status updates on your screen.

Xerox® Global Print Driver®

This truly universal print driver lets you install, upgrade and manage Xerox® and non-Xerox® devices from a single driver.

Xerox® Mobile Express Driver®

For mobile users, the Xerox® Mobile Express Driver makes it easy to find, use and manage Xerox® and non-Xerox® devices in every new location.

Xerox® Wireless Print Solutions Adapter

The optional Xerox® Wireless Print Solutions Adapter seamlessly connects your Xerox® printer or MFP to modern mobile and desktop workflows, regardless of your office environment. For more information, visit www.xerox.com/WPSA.

Xerox® PrintingScout Status Manager

This driver-based feature monitors and reports any printer condition that prevents a print job from completing successfully. PrintingScout is designed to provide timely and useful information that allows users to identify and resolve their own printing issues.

Run Black

With the Run Black feature, the printer or multifunction printer will continue printing in black even if it runs out of cyan, yellow or magenta toner.

Front-panel Toner-level Gauges

Conveniently located on the device's front panel, intuitive indicators let users quickly see how much toner remains.

Support and Service

To us, support means providing easy access to the resources you need to ensure your Xerox® device performs at the highest level, continuously delivering optimum results.

Unrivaled Service

Behind every Xerox® product is a large network of North America-based customer support that's unrivaled in the industry and available when you need it. Our service professionals use leading-edge technologies to keep you up and running. They're even linked to the engineers who designed your product, so you can be confident when you choose Xerox.

Customers also have 24/7, Internet-based access to our knowledge base system, which provides problem-specific solutions or guides users through a troubleshooting tree.

Total Satisfaction Guaranteed

Every Xerox® Phaser® printer and Xerox® WorkCentre® multifunction printer covered in this guide includes our exclusive Xerox Total Satisfaction Guarantee. Recognized as unique in the industry, the Total Satisfaction Guarantee covers every Phaser and WorkCentre device that has been continuously maintained by Xerox or our authorized representatives under a Xerox express warranty or Xerox maintenance agreement.

You decide when you're satisfied.

Visit our support website, at www.support.xerox.com, for additional information about the ways in which we help our customers stay more productive, longer.

Supplies

Genuine Xerox® supplies are specially formulated and tested for our products to provide the best image quality and most reliable printing. Third-party supplies simply do not, and cannot, deliver the same, high-quality output as produced by genuine Xerox® supplies.

To ensure your color printer or multifunction printer performs at its best, make sure you choose genuine Xerox® supplies. Ordering is fast and easy at www.xerox.com/supplies.

Installation, Management and Day-to-day Use Features

	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® Phaser® 6600	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® WorkCentre® 6605
DHCP	Yes	Yes	Yes	Yes	Yes	Yes
Pre-installed Print Cartridges	Yes	Yes	Yes	Yes	Yes	Yes
Xerox® CentreWare® IS / Xerox® Embedded Web Server	Yes	Yes	Yes	Yes	Yes	Yes
CentreWare Web	Yes	Yes	Yes	Yes	Yes	Yes
Xerox® Global Print Driver®	No	Yes	Yes	No	Yes	Yes
Xerox® Mobile Express Driver®	No	Yes	Yes	No	Yes	Yes
Xerox® PrintingScout®	Yes	No	Yes	Yes	No	Yes
Run Black	Yes	Yes	Yes	Yes	Yes	Yes
Front-panel Toner-level Gauges	Yes	Yes	Yes	Yes	Yes	Yes
Support for Apple Bonjour	Yes	Yes	Yes	Yes	Yes	Yes
Support for Apple AirPrint™	Yes	Yes	Yes ¹	Yes	Yes	Yes ¹
Xerox® Wireless Print Solutions Adapter	Optional	Optional	Optional	Optional	Optional	Optional

¹ Requires Firmware 201301301313 for Phaser 6600 and Firmware 201301301321 for WorkCentre 6605.

Evaluating Security

Evaluate whether the device provides the appropriate safeguards at all points of vulnerability.

Security is a critical competency no matter how small your business. Does the device offer the appropriate level of security for your business? Is it scalable to provide more security if your needs change? The technology you deploy must include the necessary capabilities to protect sensitive data. The Xerox® small-business-class color printers and multifunction printers provide a variety of security features that safeguard your information on the network and at the device.

Network

802.1X

The 802.1X protocol adds a layer of security to the network to prevent unauthorized devices from establishing a network connection.

HTTPS

Hypertext Transfer Protocol Secure, or HTTPS, provides data encryption and secure identification of network servers.

IPsec

IPsec (IP security) is a suite of protocols for securing Internet Protocol (IP) communications by authenticating and/or encrypting each IP packet in a data stream.

IPv6

IPv6, or Internet Protocol version 6, includes support for a broader range of IP addresses. The enhanced capabilities of IPv6 will provide significant security benefits to network users and administrators, including traffic encryption, integrity validation peer authentication.

IP Filtering

IP filtering blocks potentially harmful data packets, acting like a firewall to safeguard your internal network.

SNMPv3

The SNMPv3 protocol provides significantly enhanced security functions including message encryption and authentication.

SSL

The Secure Sockets Layer (SSL) protocol allows a printer or multifunction printer to communicate across a network in a way designed to prevent eavesdropping, tampering, and message forgery.

Scan to Email with Authentication

Before using a multifunction printer's scan to email function, the user's name and password are authenticated, providing an additional layer of security.

Device

Secure Print

When printing a document, a user chooses a numeric password, and then sends the print job to the printer or multifunction printer. Once at the device, the user enters the numeric password using the front-panel interface and releases the print job.

Secure Fax Receive

When a fax containing sensitive information is received by the multifunction printer, it stays in memory until the intended recipient enters a password at the device and allows the document to print.

Security Features

	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® Phaser® 6600	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® WorkCentre® 6605
802.1X	No	Yes	Yes	No	Yes	Yes
HTTPS	Yes	Yes	Yes	Yes	Yes	Yes
IPsec	Yes	Yes	Yes	Yes	Yes	Yes
IPv6	Yes	Yes	Yes	Yes	Yes	Yes
IP Filtering	Yes	Yes	Yes	Yes	Yes	Yes
SNMPv3	Yes	Yes	Yes	Yes	Yes	Yes
SSL	Yes	Yes	Yes	Yes	Yes	Yes
Scan to Email with Authentication	N/A	N/A	N/A	Yes	Yes	Yes
Scan to Email over SSL/TLS	N/A	N/A	N/A	Yes	No	Yes ³
Secure Print	No	Yes	Optional ¹	No	Yes	Yes
Secure Fax Receive	N/A	N/A	N/A	Yes	Yes	Yes

¹ Requires optional Productivity Kit or 512 MB memory. ² Requires Multi-Protocol Network Card. ³ Requires Firmware 201301301313 for Phaser 6600 and Firmware 201301301321 for WorkCentre 6605.

Evaluating Total Cost of Ownership (TCO) and Cost/Value Benefits

Consider how a printer or multifunction printer can help you reduce costs.

Affordability is a big consideration when choosing a printer or multifunction printer. Is the product priced competitively with comparable products? How does a multifunction printer compare with purchasing multiple stand-alone devices?

When evaluating a printer or multifunction printer, remember that the total cost includes several factors besides the initial purchase price, including the cost of supplies. Are supply costs competitive? Does the vendor provide fact-based tools and methods to help you assess current TCO?

With Xerox® printers and multifunction printers, you can add color capabilities to your office for a surprisingly low overall cost.

Low Cost per Page

Laser printers and multifunction printers are good choices for fast-paced businesses on a budget. Once ink costs are taken into consideration, inkjet printers, initially perceived as being low cost, often turn out to have a higher TCO than the higher performing laser devices.

Having a choice between high-capacity and low-capacity cartridges can help you manage your budget. Choose high-capacity for cost savings and nonstop printing. Choose standard capacity at a lower price, if printing loads are lighter.

Reduce toner costs by taking advantage of cost-saving features like toner-saver mode. Run Black feature allows you to print color documents in black when a color cartridge is empty.

The Cost of Space

The compact design of Xerox® Phaser® printers and Xerox® WorkCentre® multifunction printers can save space on your desktop while smaller toner cartridges with minimal packaging use less precious office storage space. A multifunction printer can add new capabilities to your business and consolidate several office products (along with their supplies) into one.

Consolidate and Save

Multifunction printers are useful assets to help manage and control costs by eliminating some of the need for hard copy documents. You can avoid printing altogether with such features as fax forward to email and by saving scanned files directly to a USB memory drive for easy portability.

Reliability and Ease of Use

TCO can increase significantly for devices that are hard to use and maintain, unreliable, or lack the features and capabilities to efficiently and effectively produce the results you need. Phaser printers and WorkCentre multifunction printers are known for their ease of use and full-featured functionality.

Cost Saving Features

	Xerox® Phaser® 6022	Xerox® Phaser® 6510	Xerox® Phaser® 6600	Xerox® WorkCentre® 6027	Xerox® WorkCentre® 6515	Xerox® WorkCentre® 6605
Standard and High-capacity Toner Options	No	Yes	Yes	No	Yes	Yes
Space-saving Design	Yes	Yes	Yes	Yes	Yes	Yes
Consolidates Assets and Supplies	No	No	No	Yes	Yes	Yes
Toner Save Mode	Yes ¹	Yes ¹	Yes ¹	Yes ¹	Yes ¹	Yes ¹
Run Black	Yes	Yes	Yes	Yes	Yes	Yes

¹ Select "Draft Mode" in print driver.

Specifications

Configuration Summaries and Options

The following sections provide details about the available configurations of each small-business-class printer and multifunction printer.

Xerox® Phaser® 6022



	Phaser 6022
Speed	Up to 18 ppm color / 18 ppm black-and-white
Duty Cycle	Up to 30,000 pages / month ¹
Recommended Volume	Up to 1,500 pages / month ²
Paper Handling	
Paper Input	Main Tray: Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm
Paper Output	100 sheets (face down)
Print	
First-page-out Time	As fast as 13 seconds color / 12 seconds black-and-white
Resolution	Up to 1200 x 2400 dpi enhanced image quality
Processor	525 MHz
Memory	256 MB
Connectivity	10/100Base-TX Ethernet, Wi-Fi b/g/n, Wi-Fi Direct, High speed USB 2.0
Language Support	PostScript 3 compatible, PCL® 5c, 6, PDF Direct
Mobile Printing	Apple® AirPrint™, Google Cloud Print, Mopria® Print Service Plug-in, optional Xerox® Wireless Print Solutions Adapter (includes Apple AirPrint, Google Cloud Print™ v2.0 and Mopria®. For more information, visit www.xerox.com/WPSA)
Print Features	Image Options (Standard, Photos, Presentation, Design, POP), Color Balance Adjust, PANTONE® Color Calibrated Solid-color Simulations, Auto Screening (Standard, Fineness, Gradation), N-up, Custom Page Sizes, Fit to Page, Scaling, Reduce/Enlarge, Draft Mode, Collation, Bidirectional Print Drivers, Job Monitoring
Security	Secure HTTPS (SSL/TLS), Secure IPP, SSL, IP Filtering, IPv6, SNMP v3, IPsec, WEP(64/128 bit), WPA2-PSK (AES), and WPA/WPA2-PSK (Mixed Mode)

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

² Range reflects the number of pages per month the product can regularly print while maintaining optimal performance (considering factors including supplies replenishment and reliability over the expected product life).

Xerox® Phaser® 6510



		Phaser 6510N	Phaser 6510DN	Phaser 6510DNI
Speed		Up to 30 ppm color and black-and-white (Letter) / 28 ppm color and black-and-white (A4)		
Duty Cycle		Up to 50,000 pages / month ¹		
Paper Handling Paper Input	Standard	Bypass Tray: 50 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm Tray 1: 250 sheets; Custom sizes: 3 x 5.8 in. to 8.5 x 14 in. / 76 x 147 mm to 216 x 356 mm		
	Optional	Tray 2: 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in. / 76 x 191 mm to 216 x 356 mm		
Paper Output		150 sheets		
Automatic Two-sided Printing		Optional	Standard	
Print First-page-out Time		As fast as 12 seconds color and black-and-white		
Resolution (max)		Up to 1200 x 2400 dpi		
Processor / PDL Support		733 MHz / Adobe® PostScript® 3™, PCL® 5e, 6, PDF, TIFF		
Memory (std / max)		1 GB		
Connectivity		10/100/1000Base-T Ethernet, USB 3.0		10/100/1000Base-T Ethernet, Wi-Fi 802.11n, Wi-Fi Direct, USB 3.0
Page Description Languages		Adobe® PostScript® 3™, PCL® 5e, 6, PDF, TIFF		
Print Features		PANTONE® Color-approved solid color simulations, N-up, Fit to page, Booklet printing, Run black, Covers/Separators, Poster printing, Watermarks, Overlays, Banner sheets, Draft mode, Secure print, Proof print, Personal print, Saved print, RAM collation		
Mobile Printing and Apps	Standard	Apple® AirPrint®, Google Cloud Print™ ²		
	Free Download	Mopria® Print Service Plug-in, Xerox® Print Service Plug-in for Android™		
	Optional	Xerox® Wireless Print Solutions Adapter (includes Apple AirPrint, Google Cloud Print v2.0 and Mopria. For more information, visit www.xerox.com/WPSA)		NA
Security		Secure HTTPS (TLS), IPsec, 802.1x Authentication, S/MIME, IPv6, IP Filtering, Secure Print, SNMPv3, LDAP (SASL)		

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

² Depending on the specific mobile device, versions or vendor—the mobile device may require a free download of the app from the appropriate store(s).

Options

Description	Details	Part Number
550-sheet Feeder	550-sheet capacity	097S04765
Wireless Network Adapter	Supports Wi-Fi connectivity	497K16750

Xerox®
Phaser® 6600



		Phaser 6600N	Phaser 6600DN
Speed		Up to 36 ppm Letter / Up to 35 ppm A4, color and black-and-white	
Duty Cycle		Up to 80,000 pages / month ¹	
Paper Handling Paper Input	Standard	N/A	
		Multipurpose Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm	
	Optional	Tray 1: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm	
		Tray 2: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm	
Paper Output	Standard	250 sheets face down with tray full sensor	
Automatic Two-sided Output		N/A	Standard
Print			
First-page-out Time		As fast as 9 seconds black-and-white / 10 seconds color	
Print Resolution (max)		Up to 600 x 600 x 4 dpi (1200 x 1200 enhanced image quality)	
Processor		533 MHz	
Memory (std / max)		256 MB / 768 MB	
Connectivity		USB 2.0, 10/100/1000Base-TX Ethernet, optional Wi-Fi (802.11 n/g/b)	
Page Description Languages		True Adobe® PostScript® 3™, PCL5/6, XPS, PDF Emulation	
Print Features		PANTONE® Color calibrated solid-color simulations, Saved settings, Earth Smart settings, Color Corrections, N-up, Booklet layout, Watermark, Photo mode, Collation, Secure Print ² , Saved Print ² , Font/Form/Macro Storage ³ , Apple AirPrint™ ⁴	
Mobile Printing and Apps	Standard	Apple® AirPrint™	
	Free Download	Xerox® Print Service Plug-in for Android™	
	Optional	Xerox® Wireless Print Solutions Adapter (includes Apple AirPrint, Google Cloud Print™ v2.0 and Mopria®. For more information, visit www.xerox.com/WPSA)	
Security		Secure Print ² , 256-bit disk encryption and overwrite ³ , Secure HTTPS (SSL, Secure LDAP ³), IPsec, 802.1X Authentication, IPv6, SNMPv3, Audit Log, IP Filtering	

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.; ² Requires optional Productivity Kit; ³ Requires Productivity Kit (with 160 GB Hard Drive);

⁴ Requires Firmware 201301301313

Options

Description	Details	Part Number
Tray 2 Feeder	550-sheet capacity	097S04400
Stand	Adds storage capacity for supplies, device stability, mobility and 15.4 in. of height	497K13660
Productivity Kit	Includes 512 MB RAM	097S04269
Productivity Kit	Includes 160 GB Hard Drive	097S04403
Wireless Network Adapter	Supports Wi-Fi connectivity	097S04409

Xerox®
WorkCentre® 6027



WorkCentre 6027	
Speed	Up to 18 ppm color / 18 ppm black-and-white
Duty Cycle	Up to 30,000 pages / month ¹
Paper Handling	
Paper Input	Standard
	Automatic Document Feeder: 15 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm Main Tray: 150 sheets, Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 215.9 x 355.6 mm
Paper Output	100 sheets (face down)
Automatic Two-sided Printing	Manual
Print	
First-page-out Time	As fast as 13 seconds color / 12 seconds black-and-white
Print Resolution (max)	Up to 1200 x 2400 dpi enhanced image quality
Processor / PDL Support	525 MHz / PostScript 3 compatible, PCL® 5c, 6, PDF Direct
Memory	512 MB
Connectivity	10/100Base-TX Ethernet, Wi-Fi b/g/n, Wi-Fi Direct, High speed USB 2.0
Print Features	Image Options (Standard, Photos, Presentation, Design, POP), Color Balance Adjust, PANTONE® Color Calibrated Solid-color Simulations, Auto Screening (Standard, Fineness, Gradation), N-up, Custom Page Sizes, Fit to Page, Scaling, Reduce/Enlarge, Draft Mode, Collation, Bidirectional Print Drivers, Job Monitoring
Mobile Printing	Apple® AirPrint™, Google Cloud Print, Mopria® Print Service Plug-in, optional Xerox® Wireless Print Solutions Adapter (includes Apple AirPrint, Google Cloud Print™ v2.0 and Mopria®. For more information, visit www.xerox.com/WPSA)
Copy	
First-page-out Time	As fast as 30 seconds color / 20 seconds black-and-white
Copy Resolution (max)	600 x 600 dpi
Copy Features	Reduce/Enlarge (25 % – 400 %), Lighten/Darken, Sharpness, Color Balance, Auto Exposure, ID Card Copy, Edge Erase, Collate
Fax	
Fax Features ²	Auto Redial, Auto Resend, Auto Reduction, One-touch dial (Up to 8), Address book (Up to 99 address entries), Group faxing (Up to 6), Delayed Start, Cover page, Junk Fax Filter, Fax Forward (Forward, Print and Forward, Email, Email and Print, Forward to Server, Forward to Server and Print), Secure Fax Receive
Scan	
Scan Destinations	Scan to Network Computer (SMB/ FTP), Scan to Email, WSD, Application (TWAIN USB/Network), WIA (USB/WSD Scan), Mac 10.6 or later (USB/ Network/MacICA), USB
Scan Features	200 dpi, 300 dpi, 400 dpi, 600 dpi, 1200 dpi (TWAIN only) resolution, Color, Black-and-white, Greyscale, Image-only PDF/Multi-Page TIFF/Single-page TIFF/ JPEG, Xerox® Scan to PC Desktop SE (includes OCR, file conversion to Microsoft® Word®, Excel® and PowerPoint®. For more information, visit www.xerox.com/scan2pcSE)
Security	Secure HTTPS (SSL/TLS), Secure IPP, SSL, IP Filtering, IPv6, SNMP v3, IPsec, WEP(64/128 bit), WPA2-PSK (AES), and WPA/WPA2-PSK (Mixed Mode), Network Address Book Authentication (LDAP, Windows Kerberos)

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

² Analog phone line required

Xerox® WorkCentre® 6515



		WorkCentre 6515N	WorkCentre 6515DN	WorkCentre 6515DNI
Speed		Up to 30 ppm color and black-and-white (Letter) / 28 ppm color and black-and-white (A4)		
Duty Cycle		Up to 50,000 pages / month ¹		
Paper Handling Paper Input	Standard	Single-pass Duplex Automatic Document Feeder (DADF): 50 sheets; Custom Sizes: 5.5 x 5.5 in. to 8.5 x 14 in. / 139.7 x 139.7 mm to 216 x 356 mm Bypass Tray: 50 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76 x 127 mm to 216 x 356 mm Tray 1: 250 sheets; Custom sizes: 3 x 5.8 in. to 8.5 x 14 in. / 76 x 147 mm to 216 x 356 mm		
	Optional	Tray 2: 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in. / 76 x 191 mm to 216 x 356 mm		
Paper Output		150 sheets		
Print First-page-out Time		As fast as 12 seconds color and black-and-white		
Print Resolution (max)		Up to 1200 x 2400 dpi		
Processor / PDL Support		1.05 GHz / Adobe® PostScript® 3™, PCL® 5e, 6, PDF, TIFF		
Memory		2 GB		
Connectivity		10/100/1000Base-T Ethernet, USB 3.0		10/100/1000Base-T Ethernet, Wi-Fi 802.11n, Wi-Fi Direct, USB 3.0
Print Features	Standard	PANTONE® Color-approved solid color simulations, N-up, Fit to page, Booklet printing, Run black, Covers/Separators, Poster printing, Watermarks, Overlays, Banner sheets, Draft mode, Secure print, Proof print, Personal print, Saved print, RAM collation		
Mobile Printing and Apps	Standard	Apple® AirPrint®, Google Cloud Print™ ²		
	Free Download	Mopria® Print Service Plug-in, Xerox® Mobile Link App, Xerox® Print Service Plug-in for Android™		
	Optional	Xerox® Wireless Print Solutions Adapter (includes Apple AirPrint, Google Cloud Print v2.0 and Mopria. For more information, visit www.xerox.com/WPSA)		NA
Copy First-page-out Time		As fast as 20 seconds color / 13 seconds black-and-white		
Copy Resolution (max)		600 x 600 dpi		
Fax Fax Features ³		33.6 Kbps with MH/MR/MMR/JBIG/JPEG compression, Secure fax receive, Lighter / darker, Polling, Remote receive (with external phone), Junk fax protection, Fax forwarding, Delay send, Broadcast, Address book (up to 200 speed dials, 6 group dials), Resolution up to 400 x 400 dpi, LAN Fax (Send)		
Scan	Standard	Destinations: Scan to Email (local address book or LDAP integration, SMTP), Network (via FTP/SMB), USB Memory Device, WSD, Application (TWAIN USB/Network), WIA (USB/WSD Scan), Mac 10.9 or later (USB/Network/Mac ICA), Local PC, Network Computer (SMB/FTP), Multiple Destinations in a Single Scan Job; File Formats: JPG, TIFF (single and multi-page), PDF, Searchable PDF with integrated OCR; Features: Up to 600 x 600 dpi optical resolution, 24-bit color / 8-bit grayscale		
	Optional	Numerous solutions available through various Xerox Business Innovation Partners		
Security		Secure HTTPS (TLS), IPsec, 802.1x Authentication, S/MIME, IPv6, IP Filtering, Secure Print, Secure Fax Receive, SNMPv3, LDAP (SASL), Network Authentication, Kerberos Authentication (Unix / Linux / Windows ADS)		

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

² Depending on the specific mobile device, versions or vendor—the mobile device may require a free download of the app from the appropriate store(s).

³ Analog phone line required.

Options

Description	Details	Part Number
550-sheet Feeder	550-sheet capacity	097S04765
Wireless Network Adapter	Supports Wi-Fi connectivity	497K16750

Xerox® WorkCentre® 6605



		WorkCentre 6605N	WorkCentre 6605DN
Speed		Up to 36 ppm Letter / Up to 35 ppm A4, color and black-and-white	
Duty Cycle		Up to 80,000 pages / month ¹	
Paper Handling			
Paper Input	Standard	Duplex Automatic Document Feeder (DADF): 50 sheets: Custom sizes: 5 x 5 in. (140 x 140 mm) to 8.5 x 14 in. (216 x 356 mm)	
		Multipurpose Tray: 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in. / 76.2 x 127 mm to 216 x 356 mm	
		Tray 1: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm	
	Optional	Tray 2: 550 sheets; Custom sizes: 5.8 x 8.3 in. to 8.5 x 14 in. / 148 x 210 mm to 216 x 356 mm	
Paper Output	Standard	250 sheets face down with tray full sensor	
Automatic Two-sided Output		N/A	Standard
Print			
First-page-out Time		As fast as 9 seconds black-and-white / 10 seconds color	
Print Resolution (max)		Up to 600 x 600 x 4 dpi (1200 x 1200 enhanced image quality)	
Processor		533 MHz	
Memory (std / max)		512 MB / 1 GB	
Connectivity		USB 2.0, 10/100/1000Base-TX Ethernet, optional Wi-Fi (802.11 n/g/b)	
Page Description Languages		True Adobe® PostScript® 3™, PCL5/6, XPS, PDF Emulation	
Print Features		PANTONE® Color calibrated solid-color simulations, Saved settings, Earth Smart settings, Color Corrections, N-up, Booklet layout, Watermark, Photo mode, Collation, Secure Print, Saved Print, Font/Form/Macro Storage ² , Apple AirPrint™ ⁴	
Mobile Printing and Apps	Standard	Apple® AirPrint™	
	Free Download	Xerox® Print Service Plug-in for Android™	
	Optional	Xerox® Wireless Print Solutions Adapter (includes Apple AirPrint, Google Cloud Print™ v2.0 and Mopria®. For more information, visit www.xerox.com/WPSA)	
Copy	First-page-out Time	As fast as 13 seconds black-and-white / 16 seconds color	
Copy Features		Up to 600 x 600 dpi, Reduce/Enlarge (25 % -400 %), Lighter/Darker, Color Saturation, Sharpness, Color Balance, Auto Exposure, Up to 99 copies, 2-up Output, AutoFit, Cloning, Collate (up to 50 pages)	
Fax ³	Walk-up Fax Features	MH/MR/MMR/JBIG Compression, Reject Junk Fax, Distinctive Ring Pattern Detection, Fax Forward to Email and FTP/SMB Server ⁴ , Fax Forwarding and Local Print, Polling Receive, Delayed Start (up to 24 hours), Broadcast Sending (up to 200 destinations), Fax Address Book (up to 200 speed dial), Secure Fax Receive	
LAN Fax Features		Delayed Start (up to 24 hours), Broadcast Sending (up to 30 destinations), Zoom, Auto Fit, Rotation, N-up, Watermark, Phonebook (Up to 500 speed dial numbers, Up to 500 group dial, Phonebook stored on PC)	
Scan	Scan Destinations	TWAIN/WIA scanning via USB or Network, Scan to Computer via SMB, Scan to Server via FTP, Scan to Email with LDAP support, Scan to USB Memory Device, WSD Scanning	
Scan Features		JPEG/TIFF/Multipage TIFF/PDF File Formats, Email Address Book (up to 100 Email addresses, up to 10 Email group addresses), Express Scan Manager, Scan to PC Desktop® SE Small Business Edition (1-seat license)	
Security		Secure Fax Receive, Secure Print, 256-bit disk encryption and overwrite ² , Secure HTTPS (SSL, Secure LDAP ²), IPsec, 802.1X Authentication, IPv6, SNMPv3, Audit Log, IP Filtering, Scan to Email over SSL/TLS ⁴	

¹ Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.; ² Requires Productivity Kit (with 160 GB Hard Drive); ³ Requires analog phone line;

⁴ Requires Firmware 201301301321

Options

Description	Details	Part Number
Tray 2 Feeder	550-sheet capacity	097S04400
Stand	Adds storage capacity for supplies, device stability, mobility and 15.4 in. of height	497K13660
Productivity Kit	Includes 512 MB RAM	097S04269
Productivity Kit	Includes 160 GB Hard Drive	097S04403
Wireless Network Adapter	Supports Wi-Fi connectivity	097S04409

Specifications

Support and Additional Information Sources

Xerox® Office Services Support

Asset Management Services

- **Asset Optimization and Tracking** – Process and tools to optimize an enterprise's office output infrastructure and reduce overall costs
- **Break-Fix Management** – Single point of ownership and management for break-fix service for all brands of office output devices
- **Supplies Management** – Process and tools to procure, monitor and replenish all document-related supplies proactively

Support Services

- **Technology Procurement and Deployment**
 - A creative and flexible end-to-end print/computer product acquisition solution that uses a single-point-of-contact model while lowering the total cost of acquisition
- **Help Desk Services** – A broad range of enterprise services managed through a centralized single point of contact and delivered through an on-site or off-site model
- **End User Services** – Microsoft software implementation, IT project consulting, and customer education

Additional Information Sources

On the Web:

Visit www.xerox.com/office for:

- Product, supplies and support information
- Downloading drivers
- Finding your local Xerox® sales representative
- Online documentation

Visit www.xerox.com/office/support for:

Support and service information, including the same troubleshooting Knowledge Base used by Xerox® Customer Support staff to provide the latest technical information on:

- Application issues
- Errors
- Print-quality issues
- Troubleshooting

Questions? Comments? Problems?

For more information about the color printers and multifunction printers please contact your Xerox sales representative or visit us on the web at www.xerox.com/office

©2016 Xerox Corporation. All rights reserved. Contents of this publication may not be reproduced in any form without permission of Xerox Corporation. Xerox®, Xerox and Design®, Phaser®, WorkCentre®, CentreWare®, Scan to PC Desktop, Global Print Driver, Mobile Express Driver, eConcierge and PrintingScout® are trademarks of Xerox Corporation in the United States, and/or other countries. As an ENERGY STAR® partner, Xerox Corporation has determined that some of these products meet the ENERGY STAR guidelines for energy efficiency. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. All other trademarks are the property of their respective manufacturers. The information in this brochure is subject to change without notice. Updated 11/16 BR13122 610P729993M XOGEG-02UN

