Satellite C55D-A Detailed Product Specification¹

odel Name: C55D-A5381	Part Number: PS	CHWU-00902D		UPC: 022265	<u>5934</u> 17	
Dperating System ^{C1 2}		Weight: starting at 0.45 lbs.				
• Windows 8		Battery ¹²				
Processor³ and Graphics⁴		 6 cell/48Wh Lithium Ion battery pack 				
 AMD Dual-Core E1-1200 Accelerated Processor with AMD Radeon[™] 		Battery Life Rating (measured by MobileMark [™] Productivity 2012) o Included 6 cell battery: up to 4 hours				
HD 7310 Graphics			cell ballery: up to 4	nours		
• 1.4 GHz, 1MB Cache		Software ^{C1 13}				
 AMD A68M Chipset 		Toshiba Software				
Memory⁵		 TOSHIBA / TOSHIBA I 				
 Configured with 4GB DDR3 1066MHz (max 160 	GB)	 TOSHIBA (
• 2 main memory slots. One slot is occupied			HDD Protection			
Storage Drive ⁶			HW Setup Utility			
• 500GB (5400 RPM) Serial ATA hard disk drive			Media Player by sM			
Fixed Optical Disk Drive ⁷			Recovery Media Cr Service Station	eator		
DVD SuperMulti drive supporting 11 formats		 TOSHIBA 				
 Maximum Read speed and compatibility: 		 TOSHIBA I 	Resolution+ Plug-ir	for Windows for M	/ledia Player ¹⁴	
(24x), CD-RW (16x), DVD-ROM (8x), DV (6x), DVD-RW (6x), DVD+R (8x), DVD+		• TOSHIBA				
(8x), DVD-RAM (5x) (8x), DVD-RAM (5x)	(0x), D V D T (V)	 Third-party Softward Adobe Read 				
Display ⁸		 DTS Sound 				
15.6" diagonal widescreen TruBrite [®] TFT displa	v at 1366 x 768 native	 Internet Ex 	plorer [®] 10			
resolution (HD)	y at 1000 x 700 Hallve	 Norton[™] P 	C Checkup			
 Native support for 720p content 			nt [®] Games Console	Э		
 16:9 aspect ratio 		Special Offers and a 1 month tri	al for new Office 36	5 customers ¹⁵		
 LED backlit 			nternet Security (30		ion)	
Sound			nline Backup (30-c		- /	
Built-in stereo speakers		o Norton™ A	Anti-Theft (30-day 1	Trial)		
			Anti-Theft (30-day 1	Trial)		
Built-in stereo speakers		o Norton™ A 1 YEAR STANDA	Anti-Theft (30-day 1 RD LIMITED V	^{Trial)} VARRANTY ¹⁶		
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) 		 Norton™ A 1 YEAR STANDA Environmental This product is Rc 	Anti-Theft (30-day 1 RD LIMITED V Specifications MS ¹⁷ compatible	^{Trial)} VARRANTY ¹⁶		
 Built-in stereo speakers DTS Sound™ Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont 	trol	 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] 	Anti-Theft (30-day 1 RD LIMITED V Specifications OHS ¹⁷ compatible Qualified	^{Trial)} VARRANTY ¹⁶		
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications 	trol	 Norton™ A 1 YEAR STANDA Environmental This product is Rc 	Anti-Theft (30-day 1 RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted	Trial) VARRANTY ¹⁶ S		
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 	trol	 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] 	Anti-Theft (30-day 1 RD LIMITED V Specifications OHS ¹⁷ compatible Qualified	^{Trial)} VARRANTY ¹⁶	rating	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet 	trol	 Norton™ A 1 YEAR STANDA Environmental This product is Ro ENERGY STAR[®] EPEAT[®] Gold Ra 	Anti-Theft (30-day 1 RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating	Frial) VARRANTY ¹⁶ S Non-ope		
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ 	trol	 Norton™ A 1 YEAR STANDA Environmental This product is Ro ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁸ 	Anti-Theft (30-day 1 RD LIMITED V Specifications OHS ¹⁷ compatible Qualified ted Operating 5° to 35° C	Trial) VARRANTY ¹⁶ S Non-ope -20° to 6	0° C	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch content of the content	trol	 Norton™ A 1 YEAR STANDA Environmental This product is Ro ENERGY STAR[®] EPEAT[®] Gold Ra 	Anti-Theft (30-day 1 RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating	Trial) VARRANTY ¹⁶ S Non-ope -20° to 6	0° C r hour (max)	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader 		 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁸ Thermal Gradient 	Anti-Theft (30-day 1 RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating <u>5° to 35° C</u> 15° C per hour	Trial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe	0° C r hour (max)	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch content of the content	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude 	Anti-Theft (30-day 1 RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating <u>5° to 35° C</u> 15° C per hour	Trial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9	0° C r hour (max)	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch content of the content	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) 	Anti-Theft (30-day T RD LIMITED V Specifications OHS ¹⁷ compatible Qualified ted Operating <u>5° to 35° C</u> <u>15° C per hour</u> 20% to 90% 0 to 10,000 met	Trial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0	0° C er hour (max) 95%	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f 	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Ro ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock 	Anti-Theft (30-day T RD LIMITED V Specifications Output Operating 5° to 35° C 15° C per hour of 20% to 90% 0 to 10,000 met 10G	Trial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G	0° C er hour (max) 95%	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch content of the content	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) 	Anti-Theft (30-day T RD LIMITED V Specifications OHS ¹⁷ compatible Qualified ted Operating <u>5° to 35° C</u> <u>15° C per hour</u> 20% to 90% 0 to 10,000 met	Trial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0	0° C er hour (max) 95%	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video 	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Ro ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock 	Anti-Theft (30-day T RD LIMITED V Specifications Output Operating 5° to 35° C 15° C per hour of 20% to 90% 0 to 10,000 met 10G	Trial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G	0° C r hour (max) 95%	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch content of the content	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] EPEAT[®] Gold Ra Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration 	Anti-Theft (30-day 1 RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour of 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G 1.0G	0° C er hour (max) 95% 000 meters	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port 	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration 	Anti-Theft (30-day 1 RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour (20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced s	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G	0° C or hour (max) 05% 000 meters ystemGuard [®] ,	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port 	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] EPEAT[®] Gold Ra Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades an Toshiba offers many d On-Site Repair, and So	Anti-Theft (30-day 1 RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced serviceExpress to pr	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G	0° C er hour (max) 15% 100 meters 100 meters 100 meters 100 meters 100 meters	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port 	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration 	Anti-Theft (30-day T RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced s erviceExpress to pr I description and co	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G	0° C er hour (max) 15% 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port 	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] EPEAT[®] Gold Ra Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades an Toshiba offers many d On-Site Repair, and S notebook PC. For a full 	Anti-Theft (30-day T RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced serviceExpress to pr I description and co	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G	0° C er hour (max) 15% 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port Bata 2 USB v2.0 ports+1 USB V3.0 port¹⁰ RJ-45 LAN port 	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Ro ENERGY STAR® EPEAT® Gold Ra Temperature ¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Shock Vibration Shock offers many don-Site Repair, and Sonotebook PC. For a full program terms and context	Anti-Theft (30-day T RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced serviceExpress to pr I description and co	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G	0° C er hour (max) 15% 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port RJ-45 LAN port Security Slot for Security Lock 	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Ro ENERGY STAR® EPEAT® Gold Ra Temperature ¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Shock Vibration Shock PC. For a full program terms and con Accessories	Anti-Theft (30-day 1 RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour of 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced s erviceExpress to pr I description and con- nditions, please vis	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G services such as Sy rovide additional su provide additional su provide additional su provide additional su	0° C er hour (max) 15% 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port RJ-45 LAN port Security Slot for Security Lock 	icroSD, Multi Media	 Norton™ A 1 YEAR STANDA Environmental This product is Ro ENERGY STAR[®] EPEAT[®] Gold Ra Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades an Toshiba offers many d On-Site Repair, and So notebook PC. For a ful program terms and con Accessories For additional and most 	Anti-Theft (30-day T RD LIMITED V Specifications OPS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour of 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced serviceExpress to pr I description and con- nditions, please vis	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G services such as Sy rovide additional su provide additional su provide additional su provide additional su	0° C er hour (max) 15% 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port RJ-45 LAN port Security Slot for Security Lock Physical Description Satin Black in Trax Horizon 	icroSD, Multi Media for use)	 Norton™ A 1 YEAR STANDA Environmental This product is Ro ENERGY STAR® EPEAT® Gold Ra Temperature ¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Shock Vibration Shock PC. For a full program terms and con Accessories	Anti-Theft (30-day T RD LIMITED V Specifications OPS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour of 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced serviceExpress to pr I description and con- nditions, please vis	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G services such as Sy rovide additional su provide additional su provide additional su provide additional su	0° C er hour (max) 15% 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port RJ-45 LAN port Security Slot for Security Lock Physical Description Satin Black in Trax Horizon Dimensions (W x D x H Front/H Rear): 14.96" x 	icroSD, Multi Media for use)	 Norton™ A 1 YEAR STANDA Environmental This product is Ro ENERGY STAR® EPEAT® Gold Ra Temperature¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades an Toshiba offers many d On-Site Repair, and S notebook PC. For a ful program terms and con Accessories For additional and mosy www.accessories.tosh 	Anti-Theft (30-day T RD LIMITED V Specifications OPS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour of 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced s erviceExpress to pr I description and con- nditions, please vis st updated accesso iba.com	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G services such as Sy rovide additional su provide additional su provide additional su provide additional su	0° C er hour (max) 15% 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port Bata 2 USB v2.0 ports+1 USB V3.0 port¹⁰ RJ-45 LAN port Security Slot for Security Lock Physical Description Satin Black in Trax Horizon Dimensions (W x D x H Front/H Rear): 14.96" x feet 	icroSD, Multi Media for use) 9.53" x 1.12"/1.31" with	 Norton™ A 1 YEAR STANDA Environmental This product is Rc ENERGY STAR[®] EPEAT[®] Gold Ra Temperature¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades an Toshiba offers many d On-Site Repair, and Sinotebook PC. For a ful program terms and con Accessories For additional and most www.accessories.tosh Memory Upgrade Part Number 	Anti-Theft (30-day T RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour of 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced serviceExpress to pr I description and conditions, please vis st updated accesso iba.com	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G services such as Sy ovide additional su omplete list of prog it www.support.tos ries, please visit	0° C er hour (max) 15% 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters 100 meters	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch confinations HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port RJ-45 LAN port Security Slot for Security Lock Physical Description Satin Black in Trax Horizon Dimensions (W x D x H Front/H Rear): 14.96" x feet Weight: Starting at 5.3 lbs, depending upon con 	icroSD, Multi Media for use) 9.53" x 1.12"/1.31" with	Norton [™] / 1 YEAR STANDA Environmental • This product is Rc • ENERGY STAR® • EPEAT® Gold Ra Temperature ¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades an Toshiba offers many d On-Site Repair, and Sc notebook PC. For a ful program terms and coor Accessories For additional and mose www.accessories.tosh Memory Upgrade Pat Number Do PA5037U-1M2G To	Anti-Theft (30-day T RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour of 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced serviceExpress to pr I description and con- nditions, please vis st updated accesso iba.com escription shiba PC3-12800 E	Frial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G services such as Sy ovide additional su pomplete list of prog it www.support.tos ries, please visit	0° C r hour (max) 15% 100 meters 100 m	
 Built-in stereo speakers DTS Sound[™] Input Devices Standard Keyboard with 10 key (black) Touch pad pointing device with multi-touch cont Communications HD webcam with microphone 10/100 Ethernet Wi-Fi[®] Wireless networking (802.11b/g/n)⁹ Expandability Memory Card Reader Secure Digital, SDHC, SDXC, miniSD, m Card (shared slot; may require adapter f Ports Video RGB HDMI[®] Audio Microphone input port Headphone output port Bata 2 USB v2.0 ports+1 USB V3.0 port¹⁰ RJ-45 LAN port Security Slot for Security Lock Physical Description Satin Black in Trax Horizon Dimensions (W x D x H Front/H Rear): 14.96" x feet 	icroSD, Multi Media for use) 9.53" x 1.12"/1.31" with afiguration ¹¹	Norton [™] / 1 YEAR STANDA Environmental • This product is Rc • ENERGY STAR® • EPEAT® Gold Ra Temperature ¹⁸ Thermal Gradient Relative Humidity (non-condensing) Altitude (relative to sea level) Shock Vibration Service Upgrades an Toshiba offers many d On-Site Repair, and So notebook PC. For a ful program terms and con Accessories For additional and mos www.accessories.tosh Memory Upgrade Pa5037U-1M2G To PA5037U-1M4G To	Anti-Theft (30-day T RD LIMITED V Specifications HS ¹⁷ compatible Qualified ted Operating 5° to 35° C 15° C per hour of 20% to 90% 0 to 10,000 met 10G 0.5G d Extensions ifferent enhanced serviceExpress to pr I description and conditions, please vis st updated accesso iba.com	rial) VARRANTY ¹⁶ S Non-ope -20° to 6 (max) 20° C pe 10% to 9 ers 0 to 40,0 60G 1.0G services such as Sy rovide additional su pomplete list of prog it www.support.tos ries, please visit DDR3-1600MHz Mo	0° C Pr hour (max) 15% 100 meters 100	

• Dimensions (W x H x D): 3.7" x 1.7" x 1.1"

© Copyright 2013 Toshiba America Information Systems Inc. All Rights reserved. TAIS shall not be liable for damages of any kind for use of this information, which is subject to change without notice. Satellite C55D-A5381

TOSHIBA

This product specification is variable and subject to change prior to product launch.

Toshiba Bluetooth V 2.1+EDR USB Nano Adapter

(Fits up to 16")

Power Part Number PA5044U-1BRS PA5025U-1BRS	<u>Description</u> Toshiba 45Watt Global AC Adapter Toshiba Primary Li ION Battery Pack (6 Cell, 67Wh)	Part Number PA1463U-1SP6 PA1505U-1CS6 PA1452U-1BS6	Description Toshiba 16" Metropolitan Carrying Case (Fits up Toshiba 16" Extreme Briefcase (Fits up to 16") Toshiba 16" Extreme Backpack (Fits up to 16")
Expansion		Bluetooth	
Part Number	Description	Part Number	Description

Part Number	Description
PA5082U-1PRP	dynadock V3.0 Universal USB 3.0 Docking Station
PA3927U-1PRP	dynadock U3.0 Universal USB 3.0 Docking Station

Carrying Case

Subject to Change

While Toshiba has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Toshiba's Web site at http://www.support.toshiba.com

PA3710U-1BTM

Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Toshiba America Information Systems, Inc. ("TAIS") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the TAIS dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Toshiba America Information Systems, Incorporated ("TAIS") 9740 Irvine Boulevard Irvine CA 92618

ToshibaDirect website: http://www.toshibadirect.com TAIS website for resellers: http://sell.toshiba.com TAIS PC Support website: http://support.toshiba.com

Satellite and SystemGuard are registered trademarks of Toshiba America Information Systems, Inc. and/or Toshiba Corporation. All other products and names mentioned are the property of their respective owners.

^{C1}64-bit computing:

64-bit computing requires that the following hardware and software requirements are met:

- 64-bit Operating System
- 64-bit CPU, Chipset and BIOS (Basic Input/Output System)
- 64-bit Device drivers
- 64-bit applications

Certain device drivers and/or applications may not be compatible with a 64-bit CPU and therefore may not function properly. See "Detailed Specs" for more information.

¹ <u>Product Series Legal Footnote</u>. The product specifications and configuration information are designed for a product Series. Your particular model may not have all the features and specifications listed or illustrated. For more detailed information about the features and specifications on your particular model, please visit Toshiba's Web site at pcsupport.toshiba.com.

Product Offering Legal Footnote. Toshiba America Information Systems, Inc. reserves the right to modify or withdraw this offer at anytime without notice

² Operating System.

Also see 64-Bit Computing Legal Footnote, if applicable.

Certain Microsoft[®] software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Offers. Offer terms, duration and product availability all subject to change without notice

³ Processor (Central Processing Unit). Also see 64-Bit Computing Legal Footnote, if applicable.

CPU performance in your computer product may vary from specifications under the following conditions:

- 1. use of certain external peripheral products
- 2. use of battery power instead of AC power
- 3. use of certain multimedia, computer generated graphics or video applications
- 4. use of standard telephone lines or low speed network connections

5.

6.

7

8.

- use of complex modeling software, such as high end computer aided design applications
 - use of several applications or functionalities simultaneously
 - use of computer in areas with low air pressure (high altitude >1,000 meters or >3,280 feet above sea level)
- use of computer at temperatures outside the range of 5°C to 30°C (41°F to 86° F) or >25°C (77°F) at high altitude (all temperature references are
- approximate and may vary depending on the specific computer model please visit the Toshiba website at www.pcsupport.toshiba.com for details).

CPU performance may also vary from specifications due to design configuration.

Under some conditions, your computer product may automatically shut-down. This is a normal protective feature designed to reduce the risk of lost data or damage to the product when used outside recommended conditions. To avoid risk of lost data, always make back-up copies of data by periodically storing it on an external storage medium. Use your computer product only under recommended conditions. Read additional restrictions under "Environmental Conditions" in your product "Detailed Specs." Contact Toshiba Technical Service and Support for more information.

⁴ Graphics (Graphics Processing Unit). GPU performance may vary depending on product model, design configuration, applications, power management settings and features utilized. GPU performance is only optimized when operating in AC power mode and may decrease considerably when operating in battery power mode.

Total Available Graphics Memory is the total of, as applicable, Dedicated Video Memory, System Video Memory and Shared System Memory. Shared System Memory will vary depending on system memory size and other factors.

⁵ <u>Memory (Main System)</u>. Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors. Computers configured with a 32-bit operating system can address up to 3GB of system memory. Only computers configured with a 64-bit operating system can address 4 GB or more of system memory.

⁶ Storage Drive

Computer (Internal) HDD Capacity. One Gigabyte (GB) means 109 = 1,000,000,000 bytes and One Terabyte (TB) means 1012 = 1,000,000,000 bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of 1 GB = 230 = 1,073,741,824 bytes and 1TB = 240 = 1,099,511,627,776 bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

⁷ Optical Drive. Due to manufacturing and quality variations in third party optical media (e.g., CD or DVD) or optical media players/recorders, in certain cases, your Toshiba optical drive may not record on certain optical media that bear the applicable logo, or playback optical media recorded by other PCs or optical media recorders. Additionally, certain optical media recorded on your optical drive may not playback or operate properly on other PCs or optical media players. These problems are not due to any defect in your Toshiba PC or optical drive. Please refer to your PC's product specification for listing of specific format compatibilities.

Recording or viewing of certain optical media may be limited or prevented in accordance with applicable copy protection standards.

⁸ <u>Display</u>. Small bright dots may appear on your screen display when you turn on your PC. Your display contains an extremely large number of thin-film transistors (TFT) and is manufactured using high-precision technology. Any small bright dots that may appear on your display are an intrinsic characteristic of the TFT manufacturing technology. Over a period of time, and depending on the usage of the computer, the brightness of the screen will deteriorate. This is also an intrinsic characteristic of the screen technology. When the computer is operated on battery power, the screen with dim and you may not be able to increase the brightness of the screen while on battery power.

⁹ <u>Wireless</u> May require purchase of additional software, external hardware, or services. Transmission speeds may vary. Certain optional features within the wireless-n specifications (if available on your system) may not be supported.

¹⁰ USB 3.0. 5Gbps is the maximum theoretical interface transfer rate per the specifications of the Universal Serial Bus 3.0. Actual transfer rate will vary depending on your system configuration and other factors.

¹¹ Weight. Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected.

12 Battery Life Rating.

Measured by MobileMark® 2012 for models preinstalled with Microsoft® Windows 8.

Benchmark rules for Mobile Mark[™] 2012: Wireless connectivity = On, Screen brightness = 150nits, Predefined updated workloads.
Details of MobileMark[®] 2012 testing protocols are available at www.bapco.com MobileMark is a trademark of the Business Applications Performance Corporation.

Rating is for comparison purposes only, and does not indicate the battery life that will be obtained by any individual user. Actual battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. The battery life rating is only achieved on the select models and configurations tested by Toshiba under the specific test settings at the time of publication and is not an estimate of a system's battery life under any conditions other than the specific test settings.

After a period of time, the battery will lose its ability to perform at maximum capacity and will need to be replaced. This is normal for all batteries.

¹³ Software. Also see 64-Bit Computing Legal Footnote, if applicable.

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

Certain Microsoft[®] software product(s) included with this computer may use technological measures for copy protection. IN SUCH EVENT, YOU WILL NOT BE ABLE TO USE THE PRODUCT IF YOU DO NOT FULLY COMPLY WITH THE PRODUCT ACTIVATION PROCEDURES. Product activation procedures and Microsoft's privacy policy will be detailed during initial launch of the product, or upon certain reinstallations of the software product(s) or reconfigurations of the computer, and may be completed by Internet or telephone (toll charges may apply).

Some software may differ from its retail version (if available), and may not include user manuals or all program functionality.

¹⁴ <u>Upconverter/UpconversionTechnology (Resolution+® Technology).</u> Viewing enhancements may vary depending upon content quality and display device capability/functionality/settings. Depending on the quality of the content, some video noise may be visible.

¹⁵ Microsoft[®] Officetrial Buy Microsoft[®] Office to use full-featured Office software on this PC.

Microsoft[®] Software (if included in your PC; e.g., Microsoft Home and Student 2010 or 365, Microsoft Office Home and Business 2010 or 365, Microsoft Office Professional 2010 or 365)

The version of Microsoft[®] Office included in this computer is only available in and can only be activated within the region in which you purchased it. Certain Microsoft[®] software products included with this computer may use technological measures for copy protection. In such case, you will not be able to use the Product if you do not activate it with Microsoft. Activation may be completed by Internet or telephone (toll charges may apply). Product Activation procedures and Microsoft's privacy policy will be detailed during initial launch of the Product, or upon certain reinstallations of the software products or reconfiguration of the computer.

¹⁶ Warranty. The terms and conditions of Toshiba's standard limited warranty are available at <u>www.warranty.toshiba.com</u>.

¹⁷ **RoHS.** This notebook is compatible with European Union Directive 2011/65/EU, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Toshiba requires its notebook component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.

¹⁸ <u>Temperature (Environmental) Conditions</u>. All temperature references are approximate and the performance of your computer may vary from specifications even when operating within the recommended temperature range.