# XEROX<sup>®</sup> VERSALINK<sup>®</sup> COLOR PRINTER AND COLOR MULTIFUNCTION PRINTER

High-performance productivity—personalized.

# C 5 0 0 / C 5 0 5







# Xerox® VersaLink® C500 Color Printer and Xerox® VersaLink® C505 Color Multifunction Printer

Designed for fast-paced workteams, the VersaLink C500 Color Printer and C505 Color Multifunction Printer deliver a higher level of reliable performance. Cloud connected, mobile ready, app-enabled, and easy to customize, the C500 and C505 are your modern workplace assistants helping you excel today and stay ready for the future.

#### POWERFUL, RELIABLE, SECURE.

Right out of the box, you'll count on your VersaLink C500 or C505 to consistently and flawlessly perform the tasks that make your business work more efficiently. From IT-free installation wizards, to step-by-step configuration options, you're ready to go—hassle free.

Completely re-engineered for superior reliability, the VersaLink C500 and C505 feature a new hardware design with fewer moving parts, and a more advanced Hi-Q LED print head.

VersaLink devices are loaded with features and time-saving Xerox technologies designed to speed up information sharing and reduce inefficient workflows. Ensure information accuracy with Scan and Fax preview<sup>1</sup>, and do more with scanned documents with built-in optical character recognition (OCR)<sup>1</sup>.

When it comes to safeguarding critical information, VersaLink devices deliver a spectrum of stringent security features, including Secure Print and card authentication to control access.

Count on superior print quality to make your work look its best. A print resolution of up to 1200 x 2400 dpi delivers sharp text and fine line detail, plus exceptional color vibrancy.

### EASY, EFFICIENT AND ENTIRELY NEW.

With the customizable, capacitive 7-inch color touchscreen (5-inch on the C500), you can tap, swipe and pinch your way through tasks and functions with mobile-like ease.

Speed through tasks by saving common settings as presets for simple, single-touch job setup. With Simple ID, individual users and groups enter a user ID and password once, and then enjoy fast, secure, easy access to task-specific presets and commonly used apps on a personalized home screen.

## APP-BASED FLEXIBILITY AND MOBILE FREEDOM.

The VersaLink C500 Color Printer and VersaLink C505 Color Multifunction Printer give you the freedom to work where and how you want—with out-of-the-box connectivity to Google Drive<sup>™</sup>, Microsoft<sup>®</sup> OneDrive<sup>®</sup> and DropBox<sup>™</sup>, and access to additional options through the Xerox App Gallery.

The ability to connect and print from multiple devices is key for today's worker, and VersaLink devices meet the challenge with Apple<sup>®</sup> AirPrint<sup>®</sup>, Google Cloud Print<sup>™</sup>, Xerox<sup>®</sup> Print Service Plug-in for Android<sup>™</sup>, Near Field Communication (NFC) Tap-to-Pair and Mopria<sup>®</sup>, plus optional Wi-Fi and Wi-Fi Direct.

Learn more about why Xerox is the only choice for today's mobile professionals by visiting **www.xerox.com/mobile**.

<sup>1</sup> Scan Preview available for VersaLink C505 (S and X configurations); Fax Preview available for VersaLink C505/X only.

To learn more about VersaLink device features, go to **www.xerox.com/VersaLinkEG** 

## XEROX® CONNECTKEY® TECHNOLOGY—THE NEXUS OF YOUR COMPLETE PRODUCTIVITY ECOSYSTEM

From Xerox—the company that created the modern workplace—we present the next revolution in workplace productivity. With a consistent user experience across a wide range of devices, mobile and cloud connectivity and a growing library of apps to expand functionality, you'll work faster, better and smarter.

#### Intuitive User Experience

An entirely new—and yet entirely familiar way to interact that includes a tablet-like experience with gesture-based touchscreen controls and easy customization.

#### Mobile and Cloud Ready

Instant connectivity to cloud and mobile devices right from the user interface, with access to pre-loaded, cloud-hosted services that let you work where, when and how you want.

#### Benchmark Security

Full multi-level protection for both documents and data, ready to guard against and eliminate emerging threats and meet or exceed regulatory compliance.

#### **Enables Next Generation Services**

Work more efficiently and manage resources more effectively. Easy integration of Xerox® Managed Print Services enables remote monitoring of service delivery and consumables.

#### **Gateway to New Possibilities**

Instantly extend your capabilities with access to the Xerox App Gallery, featuring real-world apps designed to optimize digital workflows. Commission our network of partners to design innovative, businessspecific solutions.

Find out more about how you'll work smarter at **www.connectkey.com**.





- Xerox® VersaLink® C500 Color Printer Print.
- Xerox<sup>®</sup> VersaLink<sup>®</sup> C505 Color Multifunction Printer Print. Copy. Scan. Fax. Email.
- 1 500-sheet (C500) or 400-sheet (C505) output tray with tray-full sensor.
- **2 Card Reader Bay** for internal Card Reader/RFID Kit (C500 includes an internal card reader compartment located behind the touch screen).
- **3 Optional 250 GB Hard Drive** (standard with the C505/X) increases the capabilities of numerous app-based functions.
- - **4 A front-side USB port**<sup>2</sup> allows users to quickly print from or scan to<sup>3</sup> any standard USB memory device.
  - **5 150-sheet Bypass Tray** handles media sizes from 3 x 5 in. to 8.5 x 14 in./76.2 x 127 mm to 216 x 356 mm.
  - **6 Tray 1** handles up to 550 sheets with custom sizes of 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm.
  - 7 A 100-sheet Single-pass Duplex Automatic Document Feeder (DADF) scans two-sided originals for copy, scan and fax jobs.

- 8 The optional cabinet provides storage for toner cartridges and other supplies.
- 9 The High Capacity Feeder adds up to 2,000 sheets with standard sizes of 8.5 x 11 in. to 8.27 x 11.69 in./216 x 356 mm to 210 x 297 mm.
- **10** Add up to 4 additional 550-sheet paper trays that handle sizes from 3 x 7.5 in. to 8.5 x 14 in./ 76 x 190 mm to 216 x 356 mm (maximum of 2 additional trays with optional cabinet, maximum of 1 additional tray with High Capacity Feeder).

<sup>2</sup> USB ports can be disabled <sup>3</sup> VersaLink C505 only.

#### INTRODUCING TOUCHSCREEN SUPERIORITY.

Meet the industry's most advanced color touchscreen interface. Whether 7-inch (C505) or 5-inch (C500), it's a user experience that sets a higher standard for customization, personalization and versatility.

By presenting a familiar "mobile" experience—with support for gestural input and taskfocused apps that share a common look and feel—fewer steps are needed to complete even the most complex jobs.

A highly intuitive layout guides you through every task from start to finish, with a natural hierarchy placing critical functions near the top of the screen and commonly used options front and center. Don't like where a function or app is located? Customize the layout to make it yours.

This unmatched balance of hardware technology and software capability helps everyone who interacts with the VersaLink C500 Color Printer and VersaLink C505 Color Multifunction Printer get more work done, faster.



# Xerox<sup>®</sup> VersaLink<sup>®</sup> C500/C505



The VersaLink C500 Color Printer and C505 Color Multifunction Printer are built on

Xerox® ConnectKey® Technology. For more information, visit www.connectkey.com.

Speed Duty Cycle <sup>1</sup> Processor/Memory/H Connectivity Controller Features Paper Handling Paper Input	ard Drive	Up to 45 ppm lette Up to 120,000 page		VersaLink C500/DN		VersaLink C50	5/S	VersaLink C505/X	
Processor/Memory/H Connectivity Controller Features Paper Handling	ard Drive		er/Up to 43 ppm A	44					
Connectivity Controller Features Paper Handling	ard Drive	1.05 GHz/2 GB/opt	ges/month <sup>1</sup>						
Controller Features Paper Handling		1.05 0112/2 00/001	tional 250 GB HD	D		1.05 GHz/4 GB/	optional 250 GB HDD	1.05 GHz/4 GB/standard	d 250 GB HDE
Paper Handling		Ethernet 10/100/1000 Base-T, High-speed USB 3.0, Wi-Fi 802.11n and Wi-Fi Direct with optional Wi-Fi Kit (concurrent wired and wireless connections supported), NFC Tap-to-Pair							
		Unified Address Bo Xerox <sup>®</sup> Standard A		guration Cloning, Scan Preview (C e Support					
aper Input	Standard	NIA				Single-Pass Du	plex Automatic Doc	ument Feeder (DADF): 1	00 sheets;
	Standara	<b>Bypass Tray:</b> Up to 150 sheets; Custom sizes: 3 x 5 in. to 8.5 x 14 in./76 x 127 mm to 216 x 356 mm <b>Tray 1:</b> Up to 550 sheets; Custom sizes: 3 x 7.5 in. to 8.5 x 14 in./76 x 190 mm to 216 x 356 mm							
	Optional			50 sheets; Custom sizes: 3 x 7.5 in 0 sheets; 8.5 x 11 in. to 8.27 x 11.	69 in./216 x	356 mm to 210			
Paper Output	Standard	500 sheets				400 sheets			
Automatic Two-sideo	d Output	N/A		Standard					
Copy and Print F	Resolution	Print: Up to 1200:				Print: Up to 12	00 x 2400 dpi; <b>Copy:</b> U	p to 600 x 400 dpi	
First-page-out Time (as fast as)		Print: As fast as 10	) seconds color/8.	5 seconds black-and-white			s 9 seconds color/9 seconds color/9 seconds color/5 seconds color/5 sec		
Page Description Lar			F/XPS/TIFF/JPEG/	'HP-GL/Adobe <sup>®</sup> PostScript <sup>®</sup> 3™					
INTUITIVE US									
Customize and Persc	onalize	Gallery and Xerox®	<sup>®</sup> App Studio	Home Screen by User, Multiple He		•		nction or Workflow with X	(erox App
Print Drivers				itus, Job Monitoring, Xerox® Glob			Express Driver®		
Xerox <sup>®</sup> Embedded W	/eb Server		itus Information,	Responsive Design, Settings, Dev		5			
Preview		NA					/Fax with Zoom, Rotat	. 5	
Print Features		Driver Settings, Bi-	cure Print, Sample directional Real-t	e Set, Personal Print, Saved Job, X ime Status, Scaling, Job Monitori	ng, Applicat	tion Defaults, T	wo-sided Printing (as de	efault), Skip Blank Pages, [	Draft Mode
Scan		NA			Optical Character Recognition (OCR), Scan to USB/Email/Network (FTP/ Scan File Formats: PDF, PDF/A, XPS, JPEG, TIFF; Convenience Features: S Home, Searchable PDF, Single/Multi-Page PDF/XPS/TIFF/Password Prote PDF				ork (FTP/SMB) atures: Scan to ord Protected
ax NA						Fax Features (C505/X only): Walk-up Fax (includes LAN Fax, Direct Fax, Fax Forward to Email)			
MOBILE AND C	LOUD RE								
Mobile Printing		Apple <sup>®</sup> AirPrint <sup>®4</sup> , (	Google Cloud Prin	nt™ Ready, Xerox® Print Service ar	nd Mopria® I	Print Service Plu	g-ins for Android™		
Mobility Options		@PrintByXerox <sup>2</sup> , Xe Visit <b>www.xerox.c</b>	erox® Mobile Print	t and Mobile Print Cloud <sup>3</sup> , Connec <b>eapps</b> for available apps.	ct via NFC/V	Vi-Fi Direct Prin	ting <sup>3</sup> , Xerox <sup>®</sup> Mobile Lir	nk App (C505) <sup>3</sup> .	
Cloud Connectors <sup>3</sup>		Print from/Scan to	<sup>,5</sup> Google Drive™, N	Microsoft <sup>®</sup> OneDrive <sup>®</sup> , Dropbox <sup>™</sup> ,	, Microsoft C	Office 365 <sup>®</sup> , Boy	<sup>®</sup> , Xerox <sup>®</sup> DocuShare <sup>®</sup>	and more	
BENCHMARK SI	ECURITY								
Network Security			21	work Authentication, SNMPv3, SS			·		
Device Access		Firmware Verification, User access and internal firewall, Port/IP/Domain Filtering, Audit Log, Access Controls, User Permissions, Smart Card Enabled (CAC/PIV/.NET), Integrated Card Reader Bay							
Data Protection		Criteria Certificatio	on (ISO 15408) (u	evel Encryption via HTTPS/IPPS submission, Encrypted hard disk (AES 256-bit, FIPS 140-2) and image overwrite, Common 08) (undergoing evaluation)					
Document Security				ecure Scan (C505), Secure Email	(C505), Pas	sword Protecte	1 PDF (C505)		
ENABLES NEXT	GENER								
Print Management			-	vility Suite <sup>3</sup> , Configuration Cloning	-			and more	
Managing Print				port Assistance, Auto Meter Rea	d, Managed	Print Services t	00ls		
Sustainability			<sup>9</sup> , Earth Smart Prir	nting, Print User ID on margins					
GATEWAY TO N	IEW POS				L \3 C I		<b>F</b> \3		
Cloud Services		-		px® Healthcare MFP (C505 – U.S.					
		Printer/MFP.	oud services availa	able. Visit <b>www.xerox.com/app</b>	gallery for a	a growing select	lion of Xerox® apps ave	lilable for dading function	is to the
Xerox App Gallery			ertification list; <sup>5</sup> Sco	be sustained on a regular basis; <sup>2</sup> Fre an to available for C505.		ownload from Xe			xappgallery;
<sup>1</sup> Maximum volume ca <sup>3</sup> Purchased option; <sup>4</sup> V	'isit www.app			ra High Capacity Toner Cartridge n: 9,000 pages <sup>6</sup>	S:	106R03866	Stand/Casters (inclue Feeder and Cabinet)	ded with High Capacity	097S0495
<sup>1</sup> Maximum volume ca <sup>3</sup> Purchased option; <sup>4</sup> V <b>Certifications</b>				genta: 9,000 pages <sup>6</sup>		106R03867	Productivity Kit with		497K1836
<sup>1</sup> Maximum volume ca <sup>3</sup> Purchased option; <sup>4</sup> V <b>Certifications</b> To view the latest list	t of certifica			ow: 9,000 pages <sup>6</sup>		106R03868	Wireless Network Ad		497K1675
<sup>4</sup> Maximum volume ca <sup>3</sup> Purchased option; <sup>4</sup> V Certifications To view the latest list www.xerox.com/Of	t of certifica			- Deven Castelala - (0.000	7	108R01481	External Card Reade	PEID Kit	49/110/0
Maximum volume ca Purchased option; <sup>4</sup> V Certifications To view the latest list www.xerox.com/Of Supplies	t of certifica fficeCertific	ations	Суа	n Drum Cartridge: 40,000 pages					497K1838
Maximum volume ca Purchased option: 4 V Certifications To view the latest list www.xerox.com/Of Supplies Standard Capacity T	t of certifica fficeCertific	ges:	Cya 06R03862 Mag	genta Drum Cartridge: 40,000 po	ages <sup>7</sup>	108R01482	Internal Card Reader		497K1838
Maximum volume ca Purchased option: <sup>4</sup> V Certifications To view the latest list www.xerox.com/Of Supplies Standard Capacity T Black: 5,000 pages <sup>6</sup> Cyan: 2,400 pages <sup>6</sup>	t of certifica f <b>ficeCertifi</b> c	ges: 10 10	Cya 06R03862 Mag 06R03859 Yello	genta Drum Cartridge: 40,000 po ow Drum Cartridge: 40,000 page	ages <sup>7</sup>	108R01483	Internal Card Reader	/ RFID Kit	497K1838 497K1812
<sup>1</sup> Maximum volume ca <sup>2</sup> Purchased option; <sup>4</sup> V <b>Certifications</b> To view the latest list <b>www.xerox.com/Of</b> <b>Supplies</b> Standard Capacity T Black: 5,000 pages <sup>6</sup> Magenta: 2,400 pages <sup>6</sup> Magenta: 2,400 pages <sup>6</sup>	t of certifica fficeCertific oner Cartric	rations ges: 10 10 10	Cya 06R03862 Mag 06R03859 Yello 06R03860 Blac 06R03861 Was	genta Drum Cartridge: 40,000 pc ow Drum Cartridge: 40,000 page :k Drum Cartridge: 40,000 pages ste Cartridge: 30,000 pages <sup>7</sup>	ages <sup>7</sup>		Internal Card Reader <sup>6</sup> Average standard pag IEC 19798. Yield will va print mode.	/ RFID Kit es. Declared Yield in accordar ary based on image, area cove	497K1838 497K1812 nce with ISO/ erage and
<sup>1</sup> Maximum volume ca <sup>2</sup> Purchased option; <sup>4</sup> V <b>Certifications</b> To view the latest list <b>www.xerox.com/Of</b> <b>Supplies</b> Standard Capacity T Black: 5,000 pages <sup>6</sup> Magenta: 2,400 pages <sup>6</sup> Magenta: 2,400 pages <sup>6</sup> High Capacity Toner	t of certifica ficeCertific oner Cartric ges <sup>6</sup> Cartridges:	rations ges: 10 10 10 10	Cya 06R03862 May 06R03859 Yello 06R03860 Blac 06R03861 Was 06R03861 Qpt	genta Drum Cartridge: 40,000 pc ow Drum Cartridge: 40,000 page :k Drum Cartridge: 40,000 pages ste Cartridge: 30,000 pages <sup>7</sup> :i <b>ons</b>	ages <sup>7</sup>	108R01483 108R01484 108R01416	Internal Card Reader <sup>6</sup> Average standard pag IEC 19798. Yield will vo print mode. <sup>7</sup> Approximate pages. I	· / RFID Kit es. Declared Yield in accordar ary based on image, area cove Declared yield will vary depe	497K1838 497K1812 nce with ISO/ erage and ending on job
Maximum volume ca Purchased option: <sup>4</sup> V Certifications To view the latest list www.xerox.com/Of Supplies Standard Capacity T Black: 5,000 pages <sup>6</sup> Magenta: 2,400 pages <sup>6</sup> Magenta: 2,400 pages <sup>6</sup>	cof certifica ficeCertific oner Cartric ges <sup>6</sup> Cartridges:	rations ges: 10 10 10 10 10 10 10 10	Cya 06R03862 Mag 06R03859 Yello 06R03860 Blac 06R03861 Was 06R03869 550 06R03863 Higl	genta Drum Cartridge: 40,000 pc ow Drum Cartridge: 40,000 page :k Drum Cartridge: 40,000 pages ste Cartridge: 30,000 pages <sup>7</sup>	ages <sup>7</sup>	108R01483 108R01484	Internal Card Reader <sup>6</sup> Average standard pag IEC 19798. Yield will va print mode. <sup>7</sup> Approximate pages. I run length, media size information, visit	/ RFID Kit es. Declared Yield in accordar ary based on image, area cove	497K1838 497K1812 nce with ISO/ erage and ending on job peed. For more

For more detailed specifications, go to www.xerox.com/VersaLinkC500Specs or www.xerox.com/VersaLinkC505Specs.

©2017 Xerox Corporation. All rights reserved. Xerox®, Xerox and Design®, CentreWare®, ConnectKey®, DocuShare®, Global Print Driver®, Mobile Express Driver®, VersaLink® and Xerox Extensible Interface Platform® are trademarks of Xerox Corporation in the United States and/or other countries. The information in this brochure is subject to change without notice. 6/17 BR21340 VC5BR-01UA

